


CP/M COMMANDS ALL IN ONE PLACE ON THIS PLASTICISED REFERENCE CARD



Actual size 11" x 17 Folds to B=72" x:11

This CP/M REVIEW product includes

CP/M system and transient commands,
the editor, DDT and PIP.

It's plasticised for durability
and has large, easy-to-read type.

Order today. Send \$9.95 to CP/M REVIEW THE PUBLICATION FOR THE CPIM COMMUNITY

□ Chéck endlosed □ Money Order enclosed □ VISA □ Mastercard	Product Department
Acct # TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	2711 76th Avende Southeast Mercer Island, WA 98040
Signature:	
Name	e print clearly
Address	Apt #
City State	Zip:

Or cell 1-206-232-6719. Office hours, Monday through Friday 8:30 A.M. to 4:30 P.M., Pacific time.

CP/M REVIEW

THE PUBLICATION FOR THE CP/M COMMUNITY NOVEMBER/DECEMBER 1982 VOLUME 1, NUMBER 1



Our cover photograph symbolizes the "high technology" associated with today's world of display graphics. This photo was taken directly from the high resolution display of a Tektronix 690SR Option 42 Color Picture Monitor, reproduced approximately two times actual size. The computer-graphic was generated by Bill Mills, Tek Labs Graphics and Video Systems Department, using experimental computer graphics equipment built at Tektronix, Inc., in Beaverton, Oregon.

IN THIS ISSUE

2 THE MASTER FILE: YES...ANOTHER COMPUTER MAGAZINE by Pamela McKee

Editor's commentary on CP/M REVIEW. A new publication that focuses on the needs, events and interests of the CP/M Community. And, the future of CP/M in the computer industry.

4 RANDOM ACCESS:

CP/M product news. Motorola announces CP/M for MC68000...

6 COMPUTER LINGUISTICS: THE STRENGTH OF PASCAL STRUCTURES by Michael Richerson

PASCAL is gaining a large following in the micro world. A review of some of the reasons for using PASCAL. And, an example of the general structure of a PASCAL program.

10 RETRIEVALS:

Abstracts of CP/M articles from the computer press.

14 IN THE PUBLIC DOMAIN:

Public domain software, what it is, where to find it.

18 DATA DICTIONARY:


File terminology.

24 CP/M REVIEW BUYER'S GUIDE: INSTALLMENT NUMBER 1

Photographs and reviews of 35 computers that use the CP/M system.

62 REMOTE COMPUTING: PUBLIC BULLETIN BOARDS

A guide to the use and contents of CP/M oriented electronic message systems.



CPA INPUT: SOFTWARE NIGHTMARE by Roger Burke, CPA

A light-hearted discourse on expensing software on your tax statements.

CP/M is a registered trademark of Digital Research, Inc.

82 LIST OF ADVERTISERS

84 YELLOW PAGE LISTINGS



CP/M REVIEW is published bimonthly by CP/M REVIEW Company. It is a publication dedicated exclusively to the needs of the CP/M community. Subscriptions are \$18.00 per year (six issues). Washington residents add 6.3% Sales Tax. Please write for cost for overseas or international residents. Address all correspondence, subscriptions, change of address, USPS Form 3579, and fulfillment questions to CP/M REVIEW, 2711 76th Avenue Southeast, Mercer Island, WA 98040. Letters to CP/M REVIEW or its editors become the property of the magazine and are assumed intended for publication and may be so used. They should include the writer's full name, address and home telephone. Letters may be edited for purposes of clarity or space. Opinions expressed by the authors are not necessarily those of CP/M REVIEW. Entire contents copyright @ 1982. All rights reserved and nothing reproduced in whole or in part without prior written permission from CP/M REVIEW. Office hours: 8:30 to 4:30, Pacific Time, Monday through Friday. Telephone: 206 232-6719.

EDITOR:

Pamela J. McKee

TECHNICAL EDITOR:

Stuart Stern

CONTRIBUTING EDITORS:

Robert Larson William King Michael Richerson

ADVERTISING:

Goranson & Associates

DESIGN AND PRODUCTION DIRECTOR:

Mary Goranson

PRODUCTION ASSISTANT:


Nettie Stokes

TYPESETTING:

Studio Source

PRINTING:

Precision Graphics



YES CP/M REVIEW is different. ANOTHER It's specialized. Focusing on events and interests of the CP/M community. COMPUT

It's specialized. Focusing on needs,

R MAGAZINE

by PAMELA MCKEE, EDITOR

The personal computer explosion is just beginning. Market surveys indicate that as many as 70 million will be sold in the decade of the 80's, with the average buyer going through two or three machines. It may sound trite to say that Digital Research's CP/M has become the defacto standard, but the fact of the matter is ... it really has! CP/M REVIEW was developed as the staff of this magazine feels that every segment of the computer industry will feel the impact of this standard. And, that there is a need for a publication dedicated to the system, not just a machine, to follow these impacts. Some of the industry explosions we are now and will be watching are:

COMPUTERS CP/M has made it possible for a small group of technicians and entrepreneurs to enter the computer market and compete with the giants by simply packaging the hardware, installing CP/M and leaving the brunt of the software support to others. Some of the entries in this month's Buyers Guide attest to this.

PERSONALITY BOARDS The "personality" board is an interesting phenomenon. Since most of the hardware expense is in the case, power supply, keyboard, CRT, etc., it makes sense to add a little extra electronics to convert to a CPU supporting CP/M. Microsoft's "SOFTCARD" for the Apple is a very successful example of this. It is just a matter of time until some enterprising group provides personality boards for TI, PET, Atari and any other installed base worth the effort. When an installed base becomes large enough, we won't be surprised to see products available to go the other way. For example, an Apple board for the IBM/PC??

Letters, comments or questions to the editor are invited. Also, let us know what "explosions" you're expecting.

MAINFRAMES Already personal computer users are beginning to complain to data center managers: "I can do this on my \$2000 personal computer, why don't you have the capability on the \$5 million giant?" Expect to see CP/M emulation modes of large mainframe timesharing systems one of these days.

MUSCLE MICROS A new breed of very powerful microcomputers based on the Motorola MC68000 or the Zilog Z8000 is becoming available. Generally, these machines are migrating toward the UNIX operating system. These systems are big: typically they have 512K bytes of memory and hard disks with 5M bytes and up. One of the more interesting issues yet to unfold is the CP/M-UNIX relationship. Certainly the UNIX world will want access to the rich CP/M software bank. It's a similar problem to that facing the mainframe manufacturers.

JAPANESE COMPUTERS CP/M is just what the Japanese manufacturers have been waiting for. They understand production quantities in the millions with excellent packaging and pricing being their real forté. Their current entries are just a beginning. Remember, as it has been said: "These are the people that buy our logs and steel, and return plywood and cars."

There are many fine periodicals on the stands, usually with some focus, such as a popular manufacturer or processor. Those without focus have become so diverse that little is relevant to your interests. CP/M REVIEW will focus on news relating to the owners of a CP/M based machine and to the suppliers of their products and services. We will act as a clearing house of information on hardware and software. In addition, we intend to perform a public service to this community by making our publication available for notices on clubs, user groups, bulletin boards and public domain software. We invite your input in these areas.

WHY YOU SHOULD BUY A BUSINESS COMPUTER FROM A COMPANY YOU PROBABLY NEVER HEARD OF.

BECAUSE TELEVIDEO SYSTEMS DELIVER MORE PERFORMANCE AND RELIABILITY FOR THE MONEY THAN THE COMPANIES YOU HAVE HEARD OF.



TELEVIDEO: THE GROWING FORCE IN BUSINESS COMPUTING.

In three short years TeleVideo became the number one independent supplier of CRT terminals.

We did it by adhering to the philosophy that simple design and high quality components increase reliability and decrease price.

TeleVideo is now entering the small business computer market. We intend to repeat that success with the same basic philosophy.

And by offering TeleSolutions," a unique computer and software business solution that'll make your move to a business computer much easier and more cost-effective.

THE TS 802. YOUR FIRST SERIOUS COMPUTER.

The TS 802 can store up to 250 typewritten pages on each of its two removable diskettes, and can type those pages out at a rate of at least one line every two seconds. Keeps complete tax and payroll records, allows you to print checks, maintain a general ledger and tabulate up-to-theminute entries into accounts payable, receivable, inventory and sales order processing. Help with budgets, forecasts, and job estimates. In short, the TS 802 quickly creates and conveniently stores the documents and reports you need to run a business efficiently.

But if you need even more storage, the TS 802's brother—the TS 802H gives you ten times more storage

capacity.

Both the TS 802 and TS 802H have all the main memory you need for your business. Both include the CP/M* operating system, which give you access to more software programs than any other operating system. And both work with a variety of printers and phone modems that transmit data by phone.

COMPUTERS THAT GROW AS YOU GROW.

The TS 802 and TS 802H are singleuser, stand alone computers. Yet when plugged into TeleVideo's more powerful TS 806 or TS 816, they become intelligent satellite terminals in a larger multi-user system. This protects your original investment because the TS 802s do not have to be replaced by a larger computer as your data processing needs grow.

TELESOLUTIONS. THE BETTER BUSINESS SOLUTION.

Instead of offering you just a small business computer, TeleVideo offers a computer and software package called TeleSolutions.

When you buy either the TS 802 at \$3,495* or TS 802H at \$6,995* TeleVideo includes Micro-Pro's* word processing WordStar," and business planning CalcStar* software programs for a special price of \$500—a savings of nearly \$300.

WORLDWIDE SERVICE.

TeleVideo's computers are serviced by a professional nationwide service network, and distributors in the U.S and in 27 countries abroad.

THE BETTER BUSINESS SOLUTION? PROVE IT TO YOURSELF.

Visit one of TeleVideo's computer dealers throughout the country. Or contact us directly by sending in this coupon or calling us toll-free at 800-538-8157 ext. 945. (In California call 800-672-3470 ext. 945.) Compare our price and performance with the computers you have heard of. We believe you'll select TeleVideo.

You won't find a better business solution anywhere.

TeleVideo Syste Dept. #0000 1170 Morse Ave Sunnyvale, CA	enue
Please send detail computers and To NAME	
TITLE	
COMPANY	
ADDRESS	
CITY	
STATE	ZIP
TELEPHONE (_)

TeleSolutions is a trademark of TeleVideo Systems. Inc WordSier and CelcSier are trademarks of MicroPro International Corporation. CP: M is a registered medemark of Digute, Research in "Frince are suggested retail excluding applicable state and



Random Access

VENDORS: If you would like your product considered for review in the Random Access column, please send your press release and product literature to CP/M REVIEW.

Digital Research and Motorola Reach Software Agreement

CP/M-68K chosen as operating system for Motorola M68000-based development system.

Under an agreement with Digital Research, Motorola will sell the CP/M-68K operating system for the M68000-based EXORmacs development system.

"The agreement is the foundation of Motorola's plan to become heavily involved with third party software for the 68000," said Bill Lowery, Motorola MOS Systems representative.

According to Tom Rolander, Digital Research Operating Systems Division vice president, Motorola (developer of the 68000) is the latest semiconductor manufacturer to align itself with Digital Research. Rolander said: "The 68000 is a very popular processor, and we feel that CP/M-68K will become a standard operating system for 68000-based microcomputers."

Programming languages that already exist for the 68000 and other microprocessors allow many popular business application programs to be recompiled to 68000-based microcomputers from other 8- and 16-bit machines.

CP/M-68K maintains file compatibility with all Digital Research operating systems. Files from 8- and 16-bit microcomputers running these operating systems can be transported with no conversion to 68000-based machines running CP/M-68K.

Elliam Announces DMM-1 Utilities Software Disk for CP/M 2.x and MP/M Users

XDIR is the feature program on Elliam's DMM-1 utility software disk. XDIR displays the disk directory file names in alphabetic order and shows the file size for each file name. A disk usage summary is provided reporting the number of bytes on the disk, the number of file names in use and the space used. It also reports the number of available file names and space. XDIR works on single-density and double-density floppy disks as well as with hard disks.

In addition to XDIR, the disk contains other programs including: CONVERT — which changes all uncommented lower case characters to upper case. (Handy for listings and assemblers that will not accept lower case.); and, STATUS — which provides information about the current operating system, such as, memory available, TPA size, top-of-memory address, I/O assignments and more.

The price for DMM-1 is \$35.00 plus \$1.50 for shipping and handling. It is available from: Elliam Associates, 24000 Bessemer Street, Woodland Hills, CA 91367, 213 348-4278.

Information Retrieval System Developed for CP/M Users

Superfile, an information retrieval system from FYI, is designed to handle a large body of information where flexible access is required.

The text files containing the data to be retrieved may be created with any CP/M compatible text editor or user program in a free-form format. The main program maintains a dictionary of all key words indexed, and rapidly searches the index. Boolean "AND", "OR" and "NOT" combinations may be used in searching for key words. Retrieved information can be displayed, printed or written to another file.

A unique feature of the system is the 'close to' feature. An invalid key word entry, when retrieving data, will cause the program to display a group of key words which are in the dictionary and are alphabetically close to the invalid entry. This allows the user to guess his way to the information desired. Price is \$195. Inquire to: Elliam Associates, 24000 Bessemer Street, Woodland Hills, CA 91367, 213 348-4278.

InfoSoft Improves C Compiler

The improved InfoSoft C Compiler requires only a 48K system and runs under I/OS, UNI/OS, MultI/OS, CP/M or CDOS.

The C language and compiler are designed for highly efficient and effective use of a system programmer's time. This program development tool and productivity aid opens the door to compatibility with languages producing Micro-soft format REL code. A three-pass true compiler, it can directly produce 8080 object code in relocatable format or assembler source.

Standard package features include: logs all C operators and statements, structures, unions and initializers and disk selection for overlays and library "include". For additional information, contact: InfoSoft Systems, Inc., 25 Sylvan Road South, Westport, CT 06880, 203 226-8937.

Intel Develops CP/M-86 On ROM chip

Intel Corporation has developed a solidstate version of Digital Research's CP/M-86 operating system.

"We feel that CP/M-86 will be one of the most popular operating systems for 16-bit microcomputers, and having it available in semiconductor-chip form will open many new opportunities for system designers," said Andrew Grove, Intel's president.

The new part operates with the popular Intel 8086 and 8088 microprocessors, allowing a designer to develop a diskless microcomputer with all the power of the diskbased version of CP/M-86.

CP/M-86 is the 16-bit version of CP/M, the de facto industry standard operating system for 8-bit microcomputers.

CP/M and its variations are now available only on floppy disks, and require access to a flexible or hard disk drive. The new firmware version will not require a disk, making it ideal for remote computers sharing a large-capacity disk drive. The firmware CP/M-86 also allows the manufacture of smaller, low-end diskless systems.

The Intel silicon CP/M-86 chip will be available from Intel and its distributors.

Introl Announces C Compiler

Introl-C/6809, a C language compiler system for the 6809, is now available as resident software for systems running under FLEX, UNIFLEX or OS-9. It is also available as cross-software for use on CP/M-based systems.

The version 2.0 release supports all standard C features except initializers and bit-fields, and the #line and #if preprocessor directives.

Written entirely in the C language, the Introl-C software package includes a C compiler, 6809 assembler, linking loader and library manager. Source code for the runtime library is included to allow the user to tailor developed programs to any runtime environment.

Introl-C/6809 is available on 8" diskette for FLEX-09 (\$300), UNIFLEX (\$350), OS-9 (\$300) and CP/M (\$350). For more information write or call: Introl Corp., 647 W. Virginia Street, Milwaukee, WI 53204, 414 276-2937.

Multi-User Accounting Software Available for MP/M Systems

The Business Software Series offered by Microcomputer Consultants is for use with multi-user computer systems. The packages run under the MP/M-I or MP/M-II operating systems and allow true multi-user access: different users may access and update the same data files simultaneously.

The series includes inventory control for manufacturers, job cost control, general ledger, accounts receivable, accounts payable and retail/wholesale inventory.

It also incorporates a record-locking scheme which prevents users from interfering with one another. All users may display the same record simultaneously; however, as soon as one of the users begins to change the record, it is locked, and none of the other users may alter it. The record is unlocked when the change has been successfully completed.

Written in PL/I-80, the series uses Digital Research's Access Manager utility for file handling. List prices for modules in the

Business Software Series range from \$600 to \$995. For details, contact: Microcomputer Consultants, P.O. Box T, Davis, CA 95617, 800 824-5952.

Tektronix Announces Local Programmability for 4110 Series Graphics Terminals Including CP/M

Tektronix has introduced Local Programmability for its 4110 Series of intelligent computer display terminals.

The Local Programmability package consists of a disk-based operating system, a FORTRAN-86 compiler, utility programs, a library of Low-level Interface (LTI) subroutines and an Intel 8087 numeric coprocessor. A local version of Tektronix's Interactive Graphics Library (IGL) and a macro-assembly language translator are also available.

All 4110 Series terminals are easily upgraded to Local Programmability. The recommended system configuration includes a minimum of 256K bytes of RAM.

For mass storage of system and application programs, the terminal needs either two flexible disk drives or one flexible disk drive and one Winchester Micro-hard-disk drive.

The user has the flexibility to run entire programs locally or to connect the terminal to a host system for more complex tasks. Though some applications, at least in part, require the "number crunching" and data base management of a mainframe computer, the terminal can still be used on a standalone basis for the pre-processing and post-processing of graphics information.

At its introduction, the package includes a version of the CP/M-86 operating system. Designed as a single-user, single-task system, CP/M-86 is easy to learn and to use. Though the 4110 Series terminals are not intended as CP/M-86 workstations, the user may benefit from the large base of existing CP/M-86 compatible software.

For further information, write to the Marketing Communications Dept., Mailing Station 63-635, Tektronix, Inc., P.O. Box

500, Beaverton, Oregon, 97077, or call toll-free 1-800-547-6711.

Microsystems Offers Four New Programs

Bowling League Secretary:

A series of programs to aid the Bowling Establishment, League Secretary and League Service Bureau to process league score data and produce ABC/WIBC required reports with league and player weekly statistics. Maintains averages, handicaps, high scores, money paid and name/address information. \$49 for one league or \$495 for multi-league processing.

Discounted Cash Flow:

Solves over 40 of the most common business and financial analysis problems in a single input/output format. Includes yield-to-maturity, true rate-of-return, with adjustments for variable income/expenditures in multiple time periods. \$49.

Forecast Cash Flow:

Forecasts cash flows using one of the most common business and financial analysis continued on page 13



Tektronix 4110 Series graphic terminals.

STRENGTH OF PASCAL, a very powerful general purpose computer language, supports the standard features needed in data processing

PASCAL, a very powerful general purpose computer language,

PASCAL STRUCTURES

by MICHAEL E. RICHERSON

WHAT IS PASCAL?

PASCAL is a computer language that has a logical structure and machine independence. It was designed by Nicklaus Wirth in 1970 to have a logical and systematic way of teaching the concepts of computer programming. Because of its advantageous features and success as an educational tool, it has gained a large following outside of the academic environment.

WHY USE PASCAL?

There are many reasons to use PASCAL. It has a structure that is easy to understand and modify. It allows a programmer to overcome problems inherent in older computer languages. FOR-TRAN and BASIC, for example, are not structured. They require the use of GOTO statements to implement most decision processes. When these GOTO statements are required, program logic is often difficult to follow making modifications very time consuming and error prone. PASCAL allows all decisions and loops to be coded without GOTO statements making each program segment easy to understand and, if necessary, to modify. With this attribute, PAS-CAL may be considered for a wide range of programming tasks. It is particularly suited for applications that need to be enhanced, modified and maintained over a long period of time. Its built-in, imposed discipline is conducive to a systematic approach and syntax makes an easy-to-read program. And, PASCAL supports all of the standard features needed in data processing: arithmetic, calculations, decisions, looping, input/output, record structures and a variety of data types.

Another reason for using PASCAL is that it has both computational power and record structures. FORTRAN and BASIC provide powerful computational features. But, they do not allow different types of data (such as numbers and characters) to be easily associated. With COBAL, record structures are gained but computational power is lost.

Other reasons for using PASCAL are: Compared to other computer languages, there is a wide range of documentation and training material available; and, in many cases, there are more choices of vendors and hardware available for its implementation (from desktop micros to very large-scale machines). This last fact can allow PASCAL programs to be very portable.

PASCAL STRUCTURE:

PASCAL supports the modern concepts of "structured programming". Its structure includes: an instruction set that is complete and flexible enough to avoid the use of GOTO statements, a readable syntax and user-defined data types. Also, it allows a program to be broken down into small logical blocks of code that are self documenting. The general structure of a PASCAL program is as follows:

PROGRAM name;

declarations

procedures and functions

BEGIN

main program statements

END.

PASCAL contains the following standard data types: real, integer, character, string and boolean. Variables are declared in the following manner:

VAR name: type;

For example:

VAR X, Y: REAL I,J : INTEGER; C1 : CHAR; TITLE: STRING: SWITCH: BOOLEAN;

PASCAL supports arrays in addition to simple variables. Array declarations contain both the dimensions and the data type of the array. The following form is used to declare arrays:

VAR name: ARRAY [dimension] of type;

For example:

VAR X: ARRAY [1..10] of REAL; LETTERS: ARRAY [0..5, 10..20] of CHAR; A123, BXYZ: ARRAY [6..10] of INTEGER;

PASCAL also supports user defined data types. These are declared using the following form:

TYPE name = allowed values;

As an example:

TYPE WORKDAY = (MON, TUE, WED, THU, FRI); VAR DAY: WORKDAY;

The TYPE declaration is used for records as well as user defined data types. The record declaration is in the following form:

TYPE name = RECORD declarations

END;

For example an inventory record might be declared as follows:

TYPE INVREC = RECORD NAME: ARRAY (1..20) of CHAR; PARTNO: ARRAY (1..7) of CHAR; COST: REAL;

END:

The declaration section also may contain constants and labels. These are declared as follows:

CONST name = value; LABEL name;

PASCAL instructions can be divided into four categories. These are assignment and calculation statements, input/output statements, decisions, and loops.

Assignment and calculations are coded in the following manner: variable name := expression;

This form can be used to assign a constant value to a variable name such as:

X := 35.73;

The result of arithmetic operations can also be assigned. For example:

WEIGHT := MASS * 32.2;

Additionally, this form can be used to assign the results of logical operations. As an example:

SWITCH1:= (SWITCH2 AND SWITCH3) or SWITCH4;

PASCAL contains two input features. These are the READ and READLN statements. The input statements are coded in the following manner:

READ (fileid, V1, V2,..., Vn); READLN (fileid, V1, V2,..., Vn);

The fileid identifies an input device or disk file. The parameters V1 through Vn are variable names. The READ instruction reads input records until all variables are assigned a value. The READLN instruction only searches for data values on the current input record.

Two similar output statements are supported. These are the WRITE and WRITELN statements. The output statements have the following form:

WRITE (fileid, V1, V2,..., Vn); WRITELN (fileid, V1, V2,..., Vn);

The parameters are defined in the same way as in the input statements. However, an additional feature is available for the output variables. A variable can be specified in the form:

V: W: d

Where V is the variable name, W is the field width and d (in the case of REAL data) is the number of places to the right of the decimal point. Decisions can be coded in two general forms. One form is the IF statement. The other form is the CASE statement. Both forms allow coding of completely structured decisions.

PASCAL contains two variations of the IF statement. The IF statement can be coded in an IF THEN form or an IF THEN ELSE form. The following syntax applies to these statements:

IF condition THEN expression;
IF condition THEN expression ELSE expression:

In the IF THEN form the expression is executed only when the condition is true. With the other form, the THEN expression is performed when the condition is true and the ELSE expression is performed when the condition is false.

The CASE statement is used when a decision has more than two branches. It has the following form:

CASE expression OF label : statement; label : statement;


label : statement;


END:

When the expression equals a label the corresponding statement is executed.

PASCAL contains three loop structures. These are the FOR loop, WHILE DO and REPEAT UNTIL. The loop features allow easy programming of all common loops.

continued on page 8





A SOFTWARE TOOL YOU NEED TO EXPLOIT YOUR MICROCOMPUTER.

Most of the Features of Full APL. Inner & Outer Product. Shared Variables.



APL, an interactive language with powerful primitive functions, widely used in education, business, engineering, science, mathematics and statistics, is now available for the 8080/8085/Z-80 microprocessors.

SOFTRONICS APL includes a 112-page User's Manual that has a tutorial on APL for beginners.

Write for a free brochure or order the manual alone for \$30.

On CP/M disk: \$350

NJ residents please add 5% sales tax.

SOFTRONICS

36 Homestead Lane Roosevelt, NJ 08555

COMPUTER LINGUISTICS

The FOR loop allows the program to repeat a segment of code as the value of an index is incremented or decremented. This loop structure has two basic forms as shown below:

FOR index is lower limit TO upper limit DO statement;

FOR index is upper limit DOWN TO lower limit DO statement:

The WHILE DO loop repeats a segment of code while a condition is true. The condition is examined before each pass through the loop. It has the following form:

WHILE condition statement DO statement;

The REPEAT UNTIL is similar to the WHILE DO. The primary difference is the condition is checked at the end of each pass. It is coded in the following manner:

REPEAT statement

UNTIL condition;

PASCAL contain two basic features for modularizing programs. These are the PROCEDURE and the FUNCTION. The PROCEDURE is a separate module of code that can be called from the main program or another PROCEDURE. It is coded as follows:

PROCEDURE name (parameters); declarations

BEGIN

statements END:

The FUNCTION is a separate module of code called by including it on the left side of an assignment statement. It is coded in the following manner:

FUNCTION name (parameters);

declarations

BEGIN

statements

END;

CONCLUSIONS: PASCAL has the features to support a wide variety of programming applications. It is both a structured and modular language. It is available from several vendors and it is easy to use. For these reasons, PASCAL merits serious consideration when choosing a computer language.

Editors Note: In an upcoming issue, there will be an article on "PASCAL Under CP/M" with several implementations of PASCAL reviewed.

CP/M REVIEW

ADVERTISERS:

CP/M REVIEW will accept relevant commercial advertising. Please write or call for current rate schedule or yellow page order form

Pascal users who want a reliable, low-cost computer with the speed of the Pascal Microengine choose SYSTEM-100. Designed around Digicomp's innovative IEEE-696 modules, SYSTEM-100 features the Pascal-100 Dual CPU (see below) which includes a Z80 processor and a 1 Megabyte extended

SIEM 100

- 128KB dynamic RAM module with processor independent refresh arbitration.
- MFIO-100 Multi-Function I/O Controller, with 4 serial ports, 24 pins of parallel I/O configurable into 2, 3, or 4 ports, 16 levels of prioritized vectored interrupt control, 5 timer/counters and a CMOS real-time clock with on-board battery backup.
- Desktop S-100 mainframe with 18-slot actively terminated motherboard in a well cooled cabinet. Takes either 120 or 230 volts.
- Floppy disk controller to control up to 4 floppy disk drives: each single or double density, single or double sided.
- Fully integrated version of UCSD Pascal system on a bootable disk.

memory map option plus:

- Two double-density double-sided 8" disk drives in a desktop enclosure. Total formulated capacity 2.4 Megabytes.
- Ask about our optional hard disk.

SYSTEM-100 \$5895 Dual Disk Drives \$2300

Pascal-100 Dual CPU purchased separately \$1495 plus \$250 for UCSD Pascal.

Ticroengine Power

Plug in PASCAL-100, mew CPU Boardset for S-100 computers. Go with the power of the Pascal Microengine! Run UCSD Pascal up to 10 times faster than typical implementations—with twice the memory capacity. You've got the best hardware for the best software around.

On-board Z80

PASCAL-100 includes a Z80' processor, so you can run your current software—including CP/M'—without modification. Ready to convert an application to Pascal? Do it anytime, with no disruptive hardware changes.

PASCAL-100 comes

PASCAL-100 comes complete with extensive documentation—our users say it's the best around!

New Generation S-100

PASCAL-100 is designed for the versatile, flexible S-100 bus. Fully compatible with the new IEEE-696 standard, yet works with

most pre-standard be

- •16 bit operations
- •128K byte memory capacity, a Megabyte with Extended Memory Map
- ·Works with 8 or 16 bit memory

Want to know more? Just circle our number on the reader service card. For fast action, call or write us directly.

---OEM'S/DEALERS--

Be sure to specify our PASCAL-100 OEM/Dealer Information Package

Digicomp Research

Terrace Hill Ithaca, NY 14850 (607) 273-5900



'Trademark of Western Digital 'Trademark of University of California 'Registered Trademark of Zilog, Inc. 'Registered Trademark of Digital Research

Retrievols

A Replacement for CP/M SUBMIT

by DAVID E. CORTESI Microsystems, May/June 1982; page 60

The article is best summarized by the following quote: The power of the SUBMIT and XSUB command in CP/M 2.2 are limited by problems in SUBMIT. A replacement for the SUBMIT command has been written in Pascal (Pascal/Z). It corrects two major shortcomings in the SUBMIT: the inability to submit an empty line, and the inability to submit lowercase characters. The program also demonstrates the internal operation of SUBMIT.

CP/M Disk Directory and Table Secrets

by A. KLOSSNER Microsystems, May/June 1982; page 68

This article details the CP/M directory and disk format at the level required to write "directory related" programs. He explains the BDOS and BIOS calls that relate to the directory.

Hewlett-Packard's Model HP-87

by D. FLANAGAN Interface Age, August 1982; page 94

A product review of HP's new "premiere" personal computer. This machine has a hypervisor allowing a 64K CP/M system to operate independently while some of the rest of it's 544K (max) memory is dedicated to another task...

CB-80 for CP/M

by ALAN R. MILLER Interface Age, Sept 1982; page 35

The improvements in the new BASICS such as naming conventions and statement numbering are discussed. Most of article is a review of Digital Research's new compiled BASIC, CB-80. Speed appears to be the major advantage over CBASIC.

In an effort to provide meaningful information to our readers, this department will abstract articles from various publications which we feel are worthy of your attention. Realizing that it is not practical to read all of the computer oriented publications, we intend to inform you of articles we feel most fill the need of the CPIM Community.

Semidisk, Software Tools, the BDOS Blues, Power and LISPS

by JERRY POURNELLE BYTE, August 1982; page 342

It's not practical to try to abstract this column on software tools. Long and rambling, but full of valuable experience, information and opinion by a knowledgable computer user; much of it relating to software tools on CP/M.

The Top Contenders

by STAN MIASTKOWSKI Popular Computing, August 1982; page 50

The article highlights the top twelve Personal Computers out of a field of about 65 Japanese manufacturers. Several are using the CP/M operating system.

Basis 108...An Alternative

by C. BONGERS/STAFF Call A.P.P.L.E., August 1982; page 23

A detailed product review of a new personal computer that has both a 6502 and Z80 microprocessor. This enables the user to have access to both the Apple and CP/M library of programs.

Exec Digital Research

by AL TOMMERVIK Softalk, July 1982; page 4

Mr. Tommervik traces the origins of Digital Research and CP/M, their management structure and product strategy.

Minimizing the Inconvenience of Compiled Languages Under CP/M

by LEONARD C. SCHWAB Microsystems, May/June 1982; page 50

The author addresses the tedium involved in developing programs in a compiled language environment i.e., edit - compile - execute - edit - compile etc. etc. Several techniques and concepts concerning program discipline and procedures are introduced that will minimize the time flow and confusion.

A Useful CP/M Utility Program

by THOMAS W. CAGE Microsystems, July/Aug 1982; page 52

An assembly listing of a program called GETFILE. COM is included in this article. The utility allows a CP/M user to load files starting at a specific memory location. Usage, options and defaults are included.

CP/M V2.2 Patches

Technical Support Group — Digital Research Microsystems, July/Aug 1982; page 60

The article presents several patches to CP/M V2.2 using the optional blocking and deblocking algorithms listed in Appendix G of the CP/M Alteration Guide. Procedures and console dialog. Other patches for ASM, PIP and SUBMIT are included.

Cloning CP/M Disk Drives

by ANDREW KLOSSNER Microsystems, Jul/Aug 1981; page 70

The author presents methods to modify a BIOS to provide "virtual" disk drives on a system with one real drive. Assembly patch provided.

Finely-Tuned Basic Compiler

by J. LINDSAY Microcomputing, August 1982; page 48

An analysis of Microsoft's new Basic Compiler BASCOM. The author points out the advantages of a compiled language that maintains compatibility with the convenient interpretive basics, MBASIC and BASIC-80. Compiler options are explained and the results of some simple benchmarks show speed increases of about two to one.

CP/M Exchange

by GENE HEAD Dr. Dobb's Journal, July 1982; page 9

This is a new feature in Dr. Dobb's that contains short articles of service to the CP/M user. The Exchange Department will attempt to get specific

continued on page 23



THIS AD MARKED THE BEGINNING OF A NEW ERA IN MICROCOMPUTER PROGRAMMING.

It announced PEARL!

PEARL ushered in the era where programmers could free themselves from boring, routine and repetitive tasks. Because PEARL handles 60-70% of programming details, which permits programmers to spend their time more creatively, and more productively.

But that was two years ago.

Today, there's Personal PEARL - to be introduced at the West Coast Computer Faire. And it goes a giant step further. Personal PEARL makes the capabilities of the computer available to virtually anyone.

For its \$295 price, even people without technical backgrounds can use

it to visually create their own applications and reports on any computer.


So the ad you're reading now is announcing an even more important

breakthrough in computer and personal productivity.

Just think about the possibilities. Then contact our Personal PEARL Product Manager.

RELATIONAL SYSTEMS INTERNATIONAL P.O. Box 12892/Salem, Oregon 97309/(503) 363-8929

From CMC International, world's largest Intertec distributor...



SUPERBRAIN® and COMPUSTAR®—THE BEST NOW COSTS LESS!



CMC International is the largest distributor in the world of Intertec Data Systems products: the SuperBrain and CompuStar, Intertec's incredibly expandable microcomputers with the best price/performance ratio in the industry. And now they cost less, with the SuperBrain listing at \$2495 and the SuperBrain QD, at \$2995. No matter how small or large your customers are or become, we doubt that they'll ever outgrow these computers. SuperBrains are expandable to hard disk storage systems and the CompuStars can be linked together to form a 255-user network utilizing the CompuStar 10-megabyte or 96-megabyte disk storage systems.

You benefit from the service and support offered through CMC. Like advertising co-op, software and hardware support, module replacement, on-site maintenance. And a toll-free line so you can call from anywhere in the continental United States, and convenient telex for our international customers.

The bottom line is performance and price, i.e. profitability. You benefit with a combination of quality Intertec products and CMC International's service, support, and competitive pricing with no quantity commitments.

Call us today. We deliver.

SOFTWARE. **PERIPHERALS** FOR SUPERBRAIN COMPUSTAR

SOFTWARE Accounting Plus Wordstar dBase II Condor Microplan Profitplan Bisynch 80

Microsoft **MBasic** Fortran 80 Cobol 80 CBasic II M/T Pascal P/L1 80 Spellguard

Spellstar MODEMS Anderson-Jacobson Line Filters **CAT Novation**

PRINTERS Datasouth Epson C. Itoh Okidata Infoscribe

NEC Starwriter F10

HARD DISKS CMC Targa Corvus **MEDIA** Dysan

Verbatim MISC. Power Supplies

DEALER INQUIRIES, GSA, GOVERNMENT, EDUCATIONAL BIDS INVITED





For Information Call (206)453-9777 To Order, Call Toll-free 1-800-426-2963

A Division of Computer Marketing Corporation

11058 Main Street, Suite 220 Bellevue, Washington 98004

TELEX: 152556 SEATAC





SuperBrain and CompuStar are registered trademarks of Intertec Data Systems Corportion.

Random Access

problems in a single input/output format. Includes yield-to-maturity, true rate-of-return, with adjustments for variable income/expenditures in multiple time periods. \$49.

Basic Program Cross-Referencer:

Provides a cross-reference listing of all Variables and GOTO and GOSUB elements in a program. Sorted in alphabetical order and line number reference order. \$34. Contact: Microsystems, 7201-87th Avenue SE, Mercer Island, WA 98040, 206 232-1513.

New Publication for CP/M-based Osborne Computer Owners

"The Portable Companion", a new interest group magazine, premiered in July 1982.

The magazine is published by Osborne for its large community of CP/M-based Osborne computer owners. It will probably also be of interest to the owners of all those Osborne look-alikes that are beginning to hit the market.

Information printed in the new product pages of CP/M REVIEW is obtained from "new product" or "press release" copy sent by promoters of new products. If in our judgment the information might be of interest to the CP/M community, we print it in some form. We openly solicit releases and photos from manufacturers and suppliers to this marketplace. While we would not knowingly print untrue or inaccurate data, or data from unreliable companies, our capacity to evaluate the products and companies appearing in "Random Access" is necessarily limited. We, therefore, cannot be responsible for product quality or company performance.

CALL FOR PAPERS...

AUTHORS:

Your literary contributions are invited. As a publication dedicated to the CP/M community we are, of course, looking for related articles. However, we are also interested in the computer industry as a whole. Please send your typed (double-spaced) items to CP/M REVIEW, 2711 76th Avenue Southeast, Mercer Island, WA 98040. Unacceptable manuscripts will be returned if accompanied by sufficient first class postage. Not responsible for lost manuscripts or photos.

Unicarn Systems



SOFTWARE TOOLS VIRTUAL OPERATING SYSTEM NOW ON CP/M

- * Software Development Tools for Professionals
- * Complete O/S Interface for Microcomputers
- * Shell + 60 Utilities + 160 Library Functions

30261 Palamares Raad, Castra Valley, California 94546 (415) 881-4490

4 Good Reasons To Explore The Frontier

Frontier Software has proven software systems for

- Businesses demanding results from their microcomputers
- Dealers providing turnkey systems

Professional Time Accounting

For the accountant, attorney, consultant...anybody who uses time as a basis for business, this package enables you to keep track of it. \$59

Fixed Asset Management/ACRS

Keeps track of fixed assets for accountants and single companies. Two versions available: FAM for financial accounting and FAM/ACRS for financial tax and investment credit reporting.

FAM \$350 FAM/ACRS \$495

Application Development Utilities

11 Utilities & 19 Program Templates to help you generate and get applications running in the shortest time. Includes General Subroutine Package. \$495

General Subroutine Package

More than 50 Subroutines and 6 Utilities to perform commonly required functions. Includes screen, data and index file management, and report formatting. \$295

Manuals (sold separately) \$30
Demonstration Package (manual and working disk) \$45



ASYST Design Services

756 Bowling Green • Cortland, New York 13045 (607) 756-8247

Requires 8080/Z80 microcomputer system, minimum 48K RAM (44K TPA). Dual drive floppy disk or hard disk, 24 x 80 CRT, 132 column printer. Requires CP/M^a CBASIC2^a (trademarks of Digital Research Inc.)

Payment with order. MasterCard, VISA, UPS/COD. Shipping Charges: \$5 if payment with order or \$8 COD. Also available from leading software dealers and distributors.

"Our programs work just like the manuals say they'll work.

And we stand behind every program we sell."

Public Domain Software

What is it? Where can you find it?

One of the reasons for acquiring a personal computer with CP/M is for access to the large libraries of commercial and public domain software.

But, before we take up the question of where and how to obtain it, let's consider "What is it?" Public domain software may have a legal interpretation; however, to arrive at the most workable definition, first consider the spirit in which it is acquired. Most distributors are non-profit organizations that distribute software for private use with the caveat that it not be used for commercial purposes.

Public domain software is generally distributed as source code with an unwritten understanding of "use at your own risk." However, some public-minded person has put a lot of thought and effort into it so, even if the program doesn't do exactly what you want, it may be an excellent starting point.

SOURCES OF PUBLIC DOMAIN SOFTWARE

Commercial software is easy to find; the vendors are advertising, sending out catalogs and stocking their wares in com-

In The Public Domain will be a regular feature concerned with informing the reader on where and how to acquire public domain software.



"No, that's NOT software."

puter stores. Public domain software is not so straight-forward. For example:

CP/M User Groups: There are two organizations that distribute large libraries of software: SIG/M and CP/MUG. SIG/M (Special Interest Group for Microcomputers) is part of the Amateur Computer Group of New Jersey. It is a non-profit organization dedicated to the distribution of public domain CP/M software. The work of gathering and distribution is done by unpaid volunteers.

SIG/M has over 50 volumes of software that is primarily distributed through a network of affiliated clubs and user groups. There is a \$1 donation expected when copies are made at meetings at these distribution points. To obtain a catalog of SIG/M software bank, write: SIG/M, Box 97, Iselin, NJ 08830. For \$1.50, their catalog contains information on the distribution point nearest you.

CP/MUG is affiliated with Lifeboat Associates, a distributor of commercial software. CP/MUG works with CACHE (Chicago Area Computer Hobbyist Exchange) to compile and distribute software. CP/MUG has approximately 20 volumes of software. There is a catalog available from: Lifeline Publishing Corp., 1651 Third Ave., New York, NY 10028. The price is \$6.

Both SIG/M and CP/MUG prefer to distribute through the club network. However, they have a direct service for individuals who are not close to a convenient distributor. Also, there are some distribution points available through communication links. (A column will be dedicated to this in an upcoming issue.)

continued on page 17

Software written for any of the computers below...



could run on all of the computers above.

As long as it was written in **RM/COBOL**, a truly portable language. Available now.

For more details, call or write Ryan-McFarland, Software Products Group, 3233 Valencia Avenue, Aptos, CA 95003. Phone (408) 662-2522.

TWX 910-598-4507.

Ryan-McFarland



TRS-80 MODEL I 64K CP/M

Enjoy the portability of CP/M, combined with the power of a full 64K of RAM with the MM-16K MEMORY MANAGEMENT UNIT

* I6K of on-board RAM

* Installs without soldering or etch cutting

* Also supports 8" single and

5" double density drives

Requires 48K of TRS-80 RAM and 2 drives. Specify disk controller type. MM-16K \$200 CP/M 2.2 \$125

Model III version soon available

Dealer inquiries Invited

Martin Data Systems 3010 Santa Monica Blvd. Suite 193 Santa Monica, Ca. 90404

\$3.50 shipping and handling charge (UPS) check or money order, Calif residents add 6% sales tax

CP/M Trademark Digital Research 1R\$-80 Trademark Tandy Corp.

HARDWARE VENDORS

Our buyer's guide is a continuing project.
If you manufacture any CP/M hardware, be it a complete system or a personality board, you may submit information for possible coverage by sending us your press release and sales literature. Or, you may request our hardware buyer's guide survey form.

CP/M25 REVIEW

2711 76th Avenue Southeast, Mercer Island, Washington 98040. Telephone: 206 232-6719. Office hours: Monday through Friday, 8:30 AM to 4:30 PM, Pacific time.

INFOSOFT Has a Better Way

MultI/05

THE CP/M COMPATIBLE WORLD ENTERS A NEW ERA!!

Call Us Today To Improve Your System Performance

Sellenstration of the sent

IN THE PUBLIC DOMAIN


Dartmouth College: The Kiewit Computation Center at Dartmouth College is another good source of software. Being the birthplace of BASIC and pioneering center in the use of timesharing, it has a public library of over 500 BASIC programs that a user can list from the college timesharing system. The price is \$3/hour for connect time via local telephone at Hanover, NH, or \$9.25 via Telenet. There is a Computer Resource Unit (CRU) charge, if you do any computing, and disk storage charge for storing files. However, for listing programs, only the connect charge applies. (Note: at 300 baud, one can list 36,000 characters in an hour.)

The rules are about the same as for clubs, no commercial use. To obtain an account, write to: Mr. Eugene A. Fucci, Assistant Director, Kiewit Computational Center, Hanover, NH 03755. These programs are not CP/M based. However, BASIC conversions are never very difficult. The Directory is on-line so one has to have an account to see what is there. CP/M REVIEW is attempting to get permission to print this directory in a future issue.

The U.S. Government (COSMIC):

Many programs developed under government contract are in the public domain. Their directory, the COSMIC Catalogue, will quite likely be found at any major library in microfiche form. Ask for it at the technical reference desk or write to: COSMIC, University of Georgia, 112 Barrow Hall, Athens, GA 30602. COSMIC programs are generally COBOL or FORTRAN and developed on big machinery. However, this bears watching because the government also has discovered micros. There may not be any restrictions on usage. In fact, some COSMIC programs have been improved, documented and sold commercially.

Note to readers: Letters and comments are invited. In particular, we would like to be apprised of any repositories of public domain software. Write to: CP/M REVIEW, 2711 76th Avenue Southeast, Mercer Island, WA 98040, Attn: Public Domain Editor.



"My human is on the fritz again."

STRONGER THAN EVER





- 8080 Microcomputer Systems
- S-100 Boards & Power Supplies
- Floppy & Hard Disk Sub-Systems
- CP/M*, MP/M* & CP/NET* Operating Systems
- · Complete Range of Software

CALL OR WRITE TODAY for your FREE IMSAI LINE CATALOGUE

Thinking ahead for the 80's

Computer Division of the Fischer-Freitas Corporation 910 81st Avenue, Bldg. 14 ● Oakland, CA 94621

415/635-7615

*CP/M, MP/M and CP/Net Are Trademarks of Digital Research, Inc. Imsal is a trademark of the Fischer-Freitas Corporation

DOGUMATE/PLUS T.M.

Indexes and Sorts WordStar

DocuMate/Plus™ Features . . .

- 16 Level Indexing
- Table of Contents Generation
- Self-Contained Sort Feature
- · "See" and "See Also" References
- Output Format Control
- Cross-Document Index Generation

DocuMate/Plus generates completely collated tables of contents and alphabetical multi-level indexes from WordStarTM text files of any length . . . as detailed as you desire.

DocuMate/Plus is refreshingly easy to use, and its internal sort feature can save you the cost of an expensive stand-alone sort program. Just type simple DocuMate commands right into your text file. DocuMate/Plus automatically finds and places all index references in a separate work file for sorting and collating.

DocuMate/Plus builds master indexes for many documents, such as research notes, books and articles, speeches, hardware and software documentation, and business correspondence.

DocuMate/Plus is Today's Most Flexible Text-Based Indexing System for Professional and Business Information Processing.

Try Documate/Plus at your local Osborne Computer Dealer, or call us for the name of your local authorized Orthocode textware dealer.

Documate/Plus is available on standard 8" CP/M and 51/4" Apple, Northstar, Osborne and Otrona diskettes.

DocuMate/Plus Program with Manual \$125.00
Manual Only \$20.00



THE ORTHOCODE CORPORATION P.O. Box 6191 • Albany, CA 94706 (415) 753-3222

FILE Definitions to review. Increase your word power on specific usage. TERMINOLOGY



DATA

A term used to denote a fact represented by a number, letter or symbol.

FIELD

An area allocated on a storage media to contain data. For example, if the first 10 character spaces on a line are reserved for the date, then they are the date field. The date can be placed anywhere in this date field — say you use the first 8 character spaces to enter 10/10/79.

RECORD

A collection of fields, generally containing related information. A record in a mailing list might contain fields for: name, address, state, zip.

DATA SET

A collection of records.

FILE

A collection of data sets. A file may contain records of different formats.

FILE ACCESS METHOD

The technique used to locate records for update or reporting.

SEQUENTIAL ACCESS

A simple access method where records are retrieved one-after-another. Usually there is some minimum control such as positioning at the beginning or end of the file.

INDEX SEQUENTIAL ACCESS

A method of access that combines the properties of the previous two methods. The file is organized such that it can be searched sequentially or accessed out-of-sequence. The out-of-sequence search is accomplished by first searching a directory of keys (such as social security number) to locate the address or the required record.

RELATIONAL DATA BASE

A data base that has been "normalized" in such a fashion that relationships among the data elements are preserved and multiple entries of the data are eliminated.

Relational data bases have the properties that allow: 1) the data base to grow without the organization becoming obsolete. There are no permanent linkages in the form of directories or tables of addresses—linkages are created at run-time. 2) simple-to-accomplish unplanned or adhoc access by use of key words describing the data. Most implementations provide an attribute algebra to assist in making complex data extracts.



LLUSTRATION BY ARTURO ARTOREZ

Now! the best in stand-alone desktop computers is even better...





and, it's the first element in a 16-user network.

The DIGILOG System 1000 is an inexpensive answer to the start of a business system.

DIGILOG
The serious business computer.

DIGILOG System 1000 Z80A

64K Bytes RAM
Dual 5¼" Diskertes
CP/M® or TurboDOS™
(CP/M comparible)

Model I: Diskettes-700KB Model II: Diskettes-1.6MB

*Note: \$3995 is the recommended retail price.

Digilog Business Systems Welsh Road & Park Drive P.O. Box 355 Montgomeryville, PA 18936 Telephone: (215) 628-4810 Telex: 849416 DBS MMLL

TurbaDOS $^{\rm m}$ is a trademark of Saftware 2000, Inc. and is CP/M campatible. CP/M $^{\rm s}$ is a registered trademark of Digital Research Carp.





ILLUSTRATION BY ARTURO ARTOREZ





by ROGER W. BURKE

If Shakespeare were alive today, instead of writing soliloquies about his mother and the king, he might write, "To deduct software costs or not to deduct software costs, that is the question. Whether tis nobler to suffer the slings and arrows of taking all of the expense in the current period, or to capitalize them over a minimum of five years, that is the question! To deduct or not to deduct, oh what impact that might have in future periods? For the Commissioner will not let you tarry through the fields, deducting in one year and capitalizing in another year, because of the regulations. Ah, the regulations, that's the rub."

Software costs are truly a rub for most businessmen. The IRS says that software in many respects so closely resembles research and experimental expenditures that they fall within a very special part of the Internal Revenue Code, Section 174. Generally. Section 174 says that you have a choice on how to handle the expenses on your tax return; you can deduct them when incurred, or you can amortize them over a minimum period of 60 months. The problem, is that like marriage, once you say, "I do", the only way to change your mind is to ask the court's permission. Once you have established a method of either expensing or capitalizing the software costs, you must receive permission from the IRS Commissioner before you can change to the other

Unfortunately, the rules and regulations that the IRS set up can easily trip you into a rather nasty penalty situation because you change the method of handling your software costs without knowing it. Specifically, you should keep your eyes open when you buy hardware. Often included in the cost of hardware are software programs. If you have previously been expensing your software costs, you should break the software costs associated with the hard-

ware out and expense them in the current period. Conversely, if you have been capitalizing software costs, you should capitalize the software costs associated with the hardware.

The tripwire often lavs in the first time hardware purchaser. The person buys the hardware that has software associated within it, capitalizes the entire bundle of costs, and effectively selects a tax policy without his knowing that he must capitalize all future software additions. Then as he buys additional software, he starts expensing them. The IRS comes in and does an audit, finds that software costs with the initial hardware were capitalized and that subsequent software costs were expensed, assesses penalties and fines, and sends the person "back to go" without collecting \$200. It can be a very expensive lesson.

If you find that you have inadvertently selected a method of handling software costs that is inconsistent with your goals, all is not lost. Revenue Ruling 71-248 says that if you want to change the method of treating software costs, all you have to do is write. The IRS says that if you write to the Commissioner of Internal Revenue, Attention: T.I., Washington, D.C., 20024, telling them (1) the year in which you want to change methods, (2) whether the change applies to all software costs or only to specific expenditures attributable to a particular project, (3) include the information necessary to identify which projects you want to have the change applicable to, (4) indicate the number of months you want to amortize the costs, if any, (5) state that, "upon approval of the application, the taxpayer will make an accounting segregation on his books and records of software costs to which the change will apply, and finally, (6) state the reason why you want to change. Generally, the Commissioner will say, "OK".

So tonight, sleep, dream and in those dreams deduct or capitalize software costs, but select only one. Because if you start changing methods without the Commissioner's consent, you may byte off more than you can chew.

Mr. Burke is a Certified Public Accountant, lecturer and columnist in the Pacific Northwest. Copyright © 1982, Roger W. Burke, 811 E.

Burnside, Suite 224, Portland, OR 97214.

The Solution

The Easy to Handle Program Writer For Non Programmers

AN OVERVIEW -

With computer hardware costs dropping to the level where almost every department and every small business can readily afford the investment, it is ironic that the cost of programming these computers is escalating so rapidly. The answer to the problem is to allow the user to write his own programs in a non-technical language.

The Solution is a plain-English programming language that enables the user to convert his ideas and application problems into operating programs without learning the intricate art of programming. Furthermore, structural errors usually encountered in normal programming are totally eliminated with The Solution.

Through the use of constant on-screen guides, explanations and plain-English prompting, **The Solution** walks the user through the various steps required to create his program. While there is virtually no limit to the type or complexity of programs that can be created using **The Solution**, the following categories outline the more frequently used applications.

ORDER ENTRY -

Like the accounting modules, **The Solution** allows the user to easily structure a program tailored to the specific needs of his particular company. An incoming order or inquiry can automatically poll or interact with credit, purchasing, inventory, shop scheduling, shipping or others. A program can be created by modifying a sample program that is provided, or a custom one can be structured using **The Solution.**

SCHEDULING -

Creating, and maintaining, schedules with **The Solution** uses the modeling matrix concept and applies appropriate tests to each column based on machine or department capacities. By "what if . . ." modeling, it is easy to experiment with the impact of overtime or run-size changes on the overall schedule. **The Solution** makes an easy task of any type schedule from project management (pert) to intricate job shops.

PUCHASING/INVENTORY CONTROL —

Internal procedures used in purchasing, expediting, back-ordering and inventory control vary widely from company to company. **The Solution** is therefore ideal because it allows the user to structure each element as best suits his needs in those areas.

SALES & MARKETING ADMINISTRATION -

Whether for sales forecasts, budgets compared to actual costs or tabulation of commissions (chargebacks, etc.), there is no better or easier way of quickly developing a custom program for your company than **The Solution**. It eliminates having to teach a programmer how your business is unique, what information is needed and in what format.

LISTS (MAILING, CUSTOMER, ETC.) -

The creation of simple data bases such as mailing lists or customer lists is accomplished easily by defining how many fields of information are wanted, the size or length of each, and how each record is to be accessed later. If a list is developed using the client's name (alphabetically) for access and later it is desired to sort and access the list by zip code, The Solution facilitates an easy conversion without disturbing the original data.

FINANCIAL MODELING -

The Solution enables the user to structure his own "what if . . ." matrix to develop electronic spread sheets for various types of projections and budget analyses. The user is able to define each row and column, as well as their relationships to other rows and columns. There is no limit to the number of matrices the user can create and it is simple to have interaction of data from one matrix to another. Among other possibilities, this feature enables the budget projections of various departments (such as branch sales offices) to interact with each other.

ACCOUNTING ---

Although there is no shortage of standard accounting software packages, many businesses find that their needs don't fit the mold required for a standard software package. These businesses can readily utilize the ease and flexibility of **The Solution**.

USER LIBRARY —

To minimize users of **The Solution** having to recreate what has already been done elsewhere, LICO will periodically publish a directory of program descriptions submitted by **Solution** users willing to share their programs. Because the LICO language is portable, all programs will be fully compatible regardless of the brand of computer they were developed on. For a nominal annual fee, the user can have access to many other programs written by executives rather than programmers.

SPECIFICATIONS

- · CP/M operating system required
- •48K RAM
- · Recommended two floppy disk drives
- CRT with 80 x 20 character format supporting direct curser addressing

BY LICO ASSOCIATES



123 York Street Crown Towers — Suite 2H New Haven, CT 06510 (203) 624-0500

Retrievals

answers to user questions by putting one in touch with the right person or by publishing comments and/or questions in the column and soliciting reader response. A valuable service.

V2.2 Application Notes

Technical Support Group — Digital Research Microsystems, July/Aug 1982; page 64

A series of application notes on the following:

Use of the CCP after an autoload.

Redefining the backspace and rubout functions.

Using serial devices with X-ON/X-OFF protocol.

Use of the Control S scrolling function.

Changing lines per page in ED. COM

Changing restart number in DDT.COM

Nesting SUBMIT. COM files

A patch for MOVCPM. COM for 256 byte page boundries.

DATABASE

DB.BAS is a general file maintenance program which can be used to file and maintain various types of data on disk. Variable length field names and data, up to 15 fields per record, and sorted index files can be made of any field. Prints Horizontal, Vertical, or Mailing label formats. Reports can be written to disk, user programs can be called from the menus, and files can be appended. Requires 40K CP/M®*, CBASIC-2. Program and manual \$50. Source listing add \$49. Source on disk add \$49. Shipping \$2. CA Res add 6%.

HOLLIDAY SOFTWARE

4807 Arlene Street San Diego, CA 92117

*CP/M is a registered trademark of Digital Research



CP/M SOFTWARE FOR

FAST NUMBER-CRUNCHING

AND

9-TRACK MAG TAPE

FOR USE WITH SPC TECHNOLOGIES'



DTI

Fast Math Processor

DMA Tape-Unit Interface

For further information contact:

A MEMBER OF THE SPC GROUP



SPC TECHNOLOGIES, INC.

P.O. Box 248, Arlington, VA 22210 (703) 841-3632

BUYER'S This first installment contains information and photographs on thirty-five systems. GUIDE

There are over 200 CP/M systems now in the marketplace. Thirty-five are reviewed in this first installment of the CP/M Review Buyer's Guide. And, additional installments will be issued as survey forms are processed.

Consider this guide to be a starting point in selecting a computer. For detailed information, contact the manufacturers. All have excellent sales literature and helpful telephone sales support. We have provided their addresses and phone numbers for follow-up.

The following comments are to assist you in using the guide:

ORIENTATION

While most systems are classified general purpose, some are targeted for certain market sectors (a manufacturing environment, typesetting, etc.). This category may aid you in quickly finding the specific systems particularly suited to your needs.

MASS STORAGE OPTIONS

Many users underestimate their disk storage requirements and do not understand the implications of adding a hard disk. Make sure the system you are considering has ample expansion to at least twice your current estimate. And, note that some systems represented prefer to deliver with a Winchester as standard equipment. Winchester disks with 5 megabytes or more are becoming available and inexpensive. But, the cost and technical aspects of adding them later may be prohibitive.

CP/M is a registered trademark of Digital Research, Inc.

INSTALLMENT NUMBER 1

DISPLAY CONSOLE

There are many pros and cons to the component approach versus the integrated package. The component approach does allow flexibility in selection of equipment. However, the integrated package generally requires less space.

For those interested in the component approach, note that many CP/M systems provide only the computer and disk. It's up to you to select a keyboard and CRT. Also note that there are numerous terminals with various video attributes (green phosphor, 80 columns, etc.). Again, you have the opportunity to select what best suits your needs.

OTHER I/O SUPPORT

Adding peripheral devices often requires external connectors and sometimes an additional electronic component (or slot) in the computer chassis. If the initial configuration is not large enough, adding chassis, power supply, electronics and connectors can be more expensive than buying a larger computer in the first place.

SALES AND SERVICE

Although most microcomputers are very reliable, if there isn't local service, a roundtrip to the nearest regional repair center may take 10 days or more.

PRICE

In most cases, the price quoted in this guide is based on the standard usable configuration of CPU with 64KB memory, 2 floppy disks, keyboard and display and CP/M. However, when doing price comparisons, note that: 1) Some manufacturers do not provide the keyboard and display. Therefore, you should add about \$600 for a typical display device. 2) Some manufacturers offer more than our standard configuration (i.e. 256KB memory or extra software) and bundle it into their price. These cases also require special consideration.

CONTENTS	
PRODUCT AND MANUFACTURER	PAGE
Archives Model III	
ARCMICRO ARC AUTOMATION GROUP, INC.	27
BLACKHAWK COMPUTERS	28
Callan CD100M	
Campbell C2000 Microcomputer	
Chromatics CG Series CHROMATICS, INC.	
Colonial Model \$B-80	
Compal 8200	33
COMPUPRO SYSTEMS	34
Copy Control III . TERMINAL SYSTEMS CORPORATION	35
CPT Model 8525 CPT CORPORATION	
Direct OA1000 DIRECT INCORPORATED	37
Discovery Multiprocessor ACTION COMPUTER ENTERPRISE, INC.	38
Diskstor-M . COMARK CORPORATION	39
Durango F-85	40
Eagle II	41
G&G System 205 G&G ENGINEERING	
Hewlett-Packard HP-87 Personal Computer	
IMS 5000\$X	
Iffaca 525 THACA INTERSYSTEMS, INC.	45
Lobo Drives International	46
Mariner	
M/A Masterkey 230 M/A COM OFFICE SYSTEMS, INC.	
Monarch System	
Multi-Tech Systems MT500 MULTI-TECH SYSTEMS, INC.	
NEC PC-8000	51
OSBORNE COMPUTER COMPANY	52
Otrona Attache OTRONA CORPORATION	53
Quasar QDP-100 System	
Rair Black Box	
R2E of America Model XP/1	
Sanyo Model MBC-1000	5/
Sundance I	58
Supermicro 8 MOLECULAR COMPUTER	59
Zendex Model 935Zendex CORPORATION	00

THE PUBLICATION FOR THE CP/M COMMUNITY

November/December 1982 Volume 1, Number 1

EDITOR: PAMELA J. MCKEE TECHNICAL EDITOR: STUART STERN CONTRIBUTING EDITORS: ROBERT LARSON WILLIAM KING

MICHAEL RICHERSON

ADVERTISING: GORANSON & ASSOCIATES DESIGN & PRODUCTION: MARY GORANSON PRODUCTION ASSISTANT: NETTIE STOKES TYPESETTING: STUDIO SOURCE

Published by CP/M REVIEW Company, 2711 76th Avenue Southeast, Mercer Island, Washington 98040. Telephone: 206 232-6719. Office hours: Monday through Friday, 8:30 AM to 4:30 PM, Pacific time.

HARDWARE VENDORS:

Our buyer's guide is a continuing project. If you manufacture any CP/M hardware, be it a complete system or a personality board, you may-submit information for possible coverage by sending us your press release and sales literature. Or, you may request our hardware buyer's guide survey form.

Archives Model III

A strong emphasis on total hardware/software solutions for specific industries or professions.

ORIENTATION

Word processing/data processing in a CP/M standalone microcomputer. Marketed to businessmen as well as professionals (legal, medical, dental, insurance). The legal market is the prime area being targeted presently.

MANUFACTURER

Archives Incorporated 404 West 35th Street Davenport, IA 52806 319 386-7401 (Iowa only) 800 553-6950 (all others)

Established October 1978. Sale of Archives' products is through authorized dealers nationwide.

FIRST DELIVERED

December 1978.

PROCESSOR

Z80 CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

15¼" floppy Tandon drive and 15¼" Winchester, total storage 5.5+MB.

DISPLAY CONSOLE

12" green phosphor, non-glare screen. 25x80 characters, 240x100 graphics format, inverse video, blink and underline in any of eight intensities.

PRINTER INTERFACE SUPPORT

Can interface with most major brands of printers on the market today.

OTHER I/O SUPPORT

Modem - communications.

PACKAGING

Three slots available.
Detachable keyboard with microprocessor lefthand function cluster, righthand numeric cluster, 23 programmable function keys.



SALES AND SERVICE

Nearest dealer information:

319 386-7401 (Iowa only). 800 553-6950 (all others).

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and Display. CP/M.

Price for the above:

\$8,500.

Guarantee:

3 months.

System serviced by:

Authorized Archives dealers.

VENDOR STATEMENT

Aside from our quality and reliability, the Archives strongest feature is its capability to do both word processing and data processing in one desktop unit. For your money, the Archives is the most affordable business information system on the market today.

ARCmicro

This system employs a 3 Z80 system processor, disk processor and terminal processor and a 10MB Winchester is standard.

ORIENTATION

General purpose business computing

MANUFACTURER

ARC Automation Group, Inc. 3001 E. ByPass College Station, TX 77840 713 693-6122

From its beginning in 1963 as a service bureau for the insurance industry, ARC has grown to a multinational holding company with several subsidiaries in vertical application markets. Annual sales for ARC Automation Group Inc. approaches \$50 million.

FIRST DELIVERED

January 1982.

PROCESSOR

3 Z80A CPU. 128KB standard main memory. 256KB maximum main memory.

MASS STORAGE OPTIONS

15¼" Winchester with 10MB. 15¼" floppy with 1MB. 25¼" Winchesters with 10MB each. 25¼" floppies with 1MB each.

DISPLAY CONSOLE

Any RS232 ASCII CRT compatible. DEC VT101 and VT100 are packaged and available through ARC.

PRINTER INTERFACE SUPPORT

Any serial RS232 device. DEC printers are available through ARC.

OTHER I/O SUPPORT

A 2400 synchronous built-in modem is available.

PACKAGING

All models come standard with 6 serial ports and 1 parallel port. 2 of the serial ports have modem control. 1 of the serial ports can be made synchronous.

SALES AND SERVICE

Nearest dealer information:

713 693-6122

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). CP/M.

Other software included:

MP/MII.

Price for the above:


\$7,600 + keyboard and display.

Guarantee:

6 months.

VENDOR STATEMENT

The ARCmicro was designed to be the first multi-user, MP/M system on the market. The hardware was specifically designed around the features of MP/M. The tri-processor design was used to facilitate increased throughput in a multi-user environment.



Blackhawk III

The Blackhawk III was specifically designed to meet the needs of the small business, professional and farming organizations.

ORIENTATION

General business and farm management.

MANUFACTURER

Blackhawk Computers 426 W. 2nd Street Davenport, IA 52801 319 323-7857

FIRST DELIVERED

March 1979.

PROCESSOR

Z80A CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

2 5¼" 312KB floppies. 5MB Winchester. 26MB Winchester.

DISPLAY CONSOLE

12" CRT, green phosphor, 80x24 character format, reverse video.

PRINTER INTERFACE SUPPORT

A standard RS232 serial interface port is provided.

OTHER I/O SUPPORT

S-100 bus.

PACKAGING

Integrated CPU, CRT and disk with detachable Hall effect keyboard.



SALES AND SERVICE

Nearest dealer information:

319 323-7857

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M

Other software included:

Accounting package.

Price for the above:

\$4,495.

Guarantee:

3 months.

System serviced by:

Dealer and factory.

VENDOR STATEMENT

The Blackhawk III was designed to take the worry out of owning your first small business computer. You can be assured of obtaining the most cost-effective combination of computer hardware and software available — a totally integrated system that's designed to solve the problems of your particular business or profession.

Callan CD100M

This computer has 2 million bytes on 2 internal 5-1/4" floppies.

ORIENTATION

OEM product primarily geared for scientific/industrial applications, but not limited to this. Also suitable for business applications using industry standard CP/M package.

MANUFACTURER

Callan Data Systems 2645 Townsgate Road Westlake Village, CA 91361 805 497-6837

Established in 1980. Sales of \$2.75 million. 45 employees with 88 sales representatives worldwide.

FIRST DELIVERED

March 1981.

PROCESSOR

Z80B CPU. 65KB standard main memory. 65KB maximum main memory.

MASS STORAGE OPTIONS

15¼" floppy with .6MB or 25¼" floppies with 1.1MB total. 5¼" floppy and 5¼" Winchester with 5.6MB. 5¼" floppy and 5¼" Winchester with 10.6MB.

DISPLAY CONSOLE

25x80 display, 723x365 pixels. Graphics controller available. Upper and lower case, reverse, blinking and ½ intensity.

PRINTER INTERFACE SUPPORT

Either serial or parallel printers.

OTHER I/O SUPPORT

RS232, multibus slots available.

PACKAGING

6 slot multibus, 93 key detachable keyboard, 200 watt switching power supply.



SALES AND SERVICE

Nearest dealer information:

805 497-6837

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Price for the above:

\$6,685.

VENDOR STATEMENT

The Callan CD100 is a compact, desktop integrated work station, which includes a versatile intelligent terminal with advanced video features, a built-in card cage which holds a number of Intel multibus or DEC LS1-11 Q-bus cards, a high capacity switching power supply and as an option, 2 5¼" mini floppy disk drives, or 15¼" floppy and 15¼" Winchester.

Campbell C2000 Microcomputer

Capable of unattended control of remote data capture devices.

ORIENTATION

General purpose, data collection network controller.

MANUFACTURER

Campbell Scientific, Inc. 815 West 1800 North Logan, UT 84321 801 753-2342

Established in 1974. 40 employees, \$3 million annual sales. Market worldwide. Foreign sales representatives located in Canada, Australia, United Kingdom, South Africa, Sweden, Italy and Austria.

FIRST DELIVERED

1980.

PROCESSOR

Z80A CPU. 70KB standard main memory. 128KB maximum main memory.

MASS STORAGE OPTIONS

28" floppies with a total of 1.2MB.

DISPLAY CONSOLE

RS232 port provided for connection to CRT.

PRINTER INTERFACE SUPPORT

RS232 serial port.

OTHER I/O SUPPORT

Modem and telecommunications software to automatically dial up and interrogate CSI dataloggers.

PACKAGING

STD bus, 12 card slots.



SALES AND SERVICE

Nearest dealer information:

801 753-2342

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). CP/M.

Other software included:

Special software and hardware for interfacing to audio cassette. Well suited for interfacing with CSI manufactured dataloggers.

Price for the above:

\$4,500 + keyboard and display.

Guarantee:

6 months.

System serviced by:

Factory.

VENDOR STATEMENT

The C2000's power supply provides uninterruptable power to the STD bus system and floppy disk drives with the addition of a 12V lead acid battery. Furthermore, the C2000 can be operated in an unattended mode when configured with the clock and auto power control option.

Chromatics CG Series

For the color fancier — high resolution and an enormous pallette.

ORIENTATION

High resolution color graphics for business graphics and process control applications.

MANUFACTURER

Chromatics, Inc. 2558 Mountain Industrial Blvd. Tucker, GA 30084 800 241-9467

Founded in 1976. 8 direct sales offices and 10 manufacturer's reps domestically. Multiple international distributors and reps.

FIRST DELIVERED

1978.

PROCESSOR

Z80A CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

Up to 6 - 8" floppies with 256KB each, IBM single-side, single-density format.

DISPLAY CONSOLE

13", 15" or 19" high resolution CRT, 512x512 pixel resolution, 85x51 characters/line. Up to 16 displayable colors from a pallette of 16,777,216 colors.

PRINTER INTERFACE SUPPORT

1 RS232 and TTL port standard, expandable to 4. Special interfaces for Trilog Color Printer, Applicon Ink Jet Printer and XEROX 6500 CGP.

OTHER I/O SUPPORT

Light pen, digitizer tablet, PROM programmer, DMA output, 4 serial ports, 2 parallel ports, RGB video and camera interfaces.

PACKAGING

Integral packaging of CRT and computer. Floppy disk drives are separate.



SALES AND SERVICE

Nearest dealer information:

800 241-9467

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Other software included:

Extended graphics software, CRTOS to control and draw graphics primitives, Source and assembled BIOS.

Price for the above:

\$16,490.

Guarantee:

3 months.

System serviced by:

Regional.

VENDOR STATEMENT

The Chromatics CG Series is a low price, high performance color graphics computer. It can be used as a standalone computer with complete programming capabilities or may be connected to a host computer via serial or parallel ports. An impressive list of hardware and software options allows users to tailor a system to specific application requirements.

Colonial Model SB-80

A full-functioned single-board computer for business and home use.

ORIENTATION

A professional microcomputer for business and home.

MANUFACTURER

Colonial Data Systems 105 Sanford Street Hamden, CT 06877 203 288-2524

Incorporated in 1980. Gross sales, 1981, over \$900,000. Projected sales, 1982, \$1.4 million. Sales through dealer/distributor network. Direct sales to major accounts.

PROCESSOR

Z80A CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

251/4" or 8" floppies with up to 2MB. Winchester storage up to 104MB.

DISPLAY CONSOLE

Any 24x80 character CRT terminal such as Televideo or Adds.

PRINTER INTERFACE SUPPORT


Distribute Okidata and C-ltok printers. Normal configuration is parallel printer.

OTHER I/O SUPPORT

Z80A-S10 dual channel chip. 2 bidirectional serial ports. 2 Centronics parallel ports.

PACKAGING

SB-80 has 50 pin expansion bus for graphics interface, Winchester storage, additional serial ports, etc.



SALES AND SERVICE

Nearest dealer information:

203 288-2524

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Price for the above:

\$3,650.

Guarantee:

3 months.

System serviced by:

Third party maintenance (Indeserv) or our service department. 150 locations.

VENDOR STATEMENT

The SB-80 is a single-user CP/M microcomputer. Available with 2 51/4" drives 500KB or 2 8" drives with 1.2MB, 2 8" drives with 2.4MB plus Winchester storage starting at 10MB up to 104MB.

Compal 8200

An office automation product with mature software for many industry sectors.

ORIENTATION

Small business computer and word processing systems.
Systems are typically used for word processing, data processing, accounting, communications, mailing, etc.
Vertical market emphasis on legal, CPA, medical, distributor, advertising agency and writer applications.

MANUFACTURER

Compal 6300 Variel Avenue Woodland Hills, CA 91367 213 992-4425

Compal was established in June 1976 to sell turnkey systems to the "first time" user market. Compal has 5 company owned outlets, and close to 1,000 business systems installed.

FIRST DELIVERED

November 1980.

PROCESSOR

Z80 CPU. 64KB standard main memory. 256KB maximum main memory.

MASS STORAGE OPTIONS

25¼" floppies with 630KB each and 15¼" Winchester with 5MB.

DISPLAY CONSOLE

Black and white, green and black or amber and black 12" 24x80 character format CRT.

PRINTER INTERFACE SUPPORT

Serial or parallel interface, serial preferred. Either dot matrix or typewriter quality printers are available.

OTHER I/O SUPPORT

Up to 60 ports can be installed. System comes with 2 8 bit parallel output ports, 3 8 bit parallel input ports and 3 serial ports configurable in EIA RS232 format for communications or standard peripherals. RS422 and IEEE488 ports can be installed as well as RGB video since the system has up to 14 S-100 expansion slots.



PACKAGING

Up to 14 S-100 expansion slots. Detached keyboard with 10 key numeric pad. Optional designer desk, matrix printer.

SALES AND SERVICE

Nearest dealer information:

213 992-4425

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Other software included:

Up to \$1000 software included in base price.

Price for the above:

\$5,795 to \$8,995.

Guarantee:

3 months.

System serviced by:

Factory or service contract available.

VENDOR STATEMENT

Compal has over 6 years of success installing systems for first-time users. The company plans to double sales each year and expand to 25 company-owned and operated outlets in the continental U.S. within 5 years.

CompuPro System 816/A

This modular computer will run 8 or 16 bit processors and can be upgraded to a multi-user system.

ORIENTATION

General purpose.

MANUFACTURER

CompuPro P.O. Box 2355 Oakland Airport Oakland, CA 94614 415 562-0636

CompuPro has been selling S-100 boards since 1977. National distributor is Byte Industries.

FIRST DELIVERED

N/A.

PROCESSOR

8085 and 8088. 128KB standard main memory. 1MB maximum main memory.

MASS STORAGE OPTIONS

28" double-density, double-sided floppies totaling 2.4MB. Expandable to 4.8MB. Also expandable to 10, 20, 26MB hard disks, more to follow.

DISPLAY CONSOLE

Compatible with any terminal.

PRINTER INTERFACE SUPPORT

Centronics or serial printers are supported.

OTHER I/O SUPPORT

Serial ports for modem or other serial device are included.

PACKAGING

S-100 expansion capabilities.



SALES AND SERVICE

Nearest dealer information:

415 562-0636

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). CP/M.

Other software included:

dBase, Supercalc 86.

Price for the above:

\$5,495 + keyboard and display.

Guarantee:

1 year.

System serviced by:

Factory.

VENDOR STATEMENT

The CompuPro family of system packages excel in high level business, industrial, and scientific computing environments. Simply add the terminal(s) and printer(s) of your choice, and you'll be up and running with one of the most advanced microcomputers available today. All systems run 8 and 16 bit software, and all single-user systems may be easily upgraded to multi-user operation.

Copy Control III

A computer tailored to the needs of the printing and publishing industry.

ORIENTATION

Printing and publishing. Word processing.

MANUFACTURER

Terminal Systems Corporation 901 Columbia Circle Merrimack, NH 03054 603 424-5033

Established February 1980. Direct sales.

FIRST DELIVERED

June 1981.

PROCESSOR

Twin Z80A CPU. 64KB standard main memory. 256KB maximum main memory.

MASS STORAGE OPTIONS

1 or 25¼" floppies with 256KB each. 5MB Winchester and 15¼" floppy. 10MB Winchester and 15¼" floppy.

DISPLAY CONSOLE

12" diagonal, P31 green phosphor CRT, 80x24 character display.

PRINTER INTERFACE SUPPORT

4 ports: 1 parallel, 3 RS232 serial.

OTHER I/O SUPPORT

Modem: any baud rate to 9600. 1 parallel (Centronics) port. 3 RS232C serial ports. Networking is supported.

PACKAGING

Keyboard detached (6 ft. cable). 64KB to 256KB internal at ordering time. No expansion boards are used.



SALES AND SERVICE

Nearest dealer information:

603 424-5033.

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Other software included:

WordStar customized to TSC keyboard. Communications to user specifications.

Price for the above:

\$4,590.

Guarantee:

6 months.

System serviced by:

Factory.

VENDOR STATEMENT

The Copy Control III is designed for "User Friendly", single keystroke operation.

SuperCalc, FormSequence, BASIC and other programs available.

Communications are also single keystroke to user specifications. Output programs to typesetter are available.

CPT Model 8525

A word processing system with CP/M and many options in an ergonomic display.



ORIENTATION

Word processing.

MANUFACTURER

CPT Corporation P.O. Box 295 Minneapolis, MN 55440 612 937-8000

CPT was founded by Dean Scheff and Jim Wienhold in 1971, and was incorporated in 1972. In 11 years, CPT has grown from 2 employees to nearly 1,300 internationally. Revenues have increased from \$73,000 in fiscal year 1972 to \$145M for fiscal year 1982. CPT products are marketed throughout the U.S. by dealers in more than 600 cities and by international distributors located in more than 60 foreign countries.

FIRST DELIVERED

March 1979.

PROCESSOR

8080 CPU. 128KB standard main memory. 128KB maximum main memory.

MASS STORAGE OPTIONS

28" floppies with 315KB each.
Disk Unit 10 — 18" floppy with 315KB.
Disk Unit 20 — 28" floppies with 730KB.
Disk Unit 30 — 15¼" Winchester with 5MB.
Wordpak II — shared resource mass storage device containing 1 or 214"
Winchesters with 24.8MB per disk.

DISPLAY CONSOLE

CRT; black characters on white background; non-glare screen; 54 lines x 80 characters; horizontal scroll is 240 characters — vertical is unlimited; CRT preview area.

PRINTER INTERFACE SUPPORT

CPT Rotary IV Printer — 45 CPS.
CPT Rotary V Printer — 40 CPS.
CPT Rotary VI Widetrack Printer — 40 CPS.
CPT Rotary VII Twintrack Printer — 45 CPS.
CPT Rotary VIII Printer — 45 CPS.
Interfaces are also available for IBM 50, 60, 75 and GE Terminet 510 printers.

OTHER I/O SUPPORT

Communications: TTY, 2780, 2770/3780. CPT office dialog link: PBX type. Local area network: 984 ports. Wordpak II: 8 ports.

PACKAGING

Integrated CRT, CPU and disks with detachable keyboard.

SALES AND SERVICE

Nearest dealer information:

612 937-8000.

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M compatible (CompuPak).

Other software included:

Standard word processing.

Price for the above:

\$8,625.

Guarantee:

3 months.

System serviced by:

Dealer.

VENDOR STATEMENT

The CPT 8500 Series word processors incorporate CPT's latest ergonomic design and research including full-page, black-on-white display screens, console tilt to minimize screen glare, and low profile and moveable keyboards. The 8500 Series models measure 18 inches from front to back and fit on a standard workstation.

The 8510, 8515, 8520 and 8525 are fully upgradable and are compatible with CPT's existing product line.

Direct OA1000

This system has extremely flexible video, high resolution, soft character, 132 column... and more.

ORIENTATION

Host oriented system providing local CP/M word and data processing, plus flexible communications and bi-directional data transfer with host computer. The OA1000 acts as a flexible intelligent terminal, standalone system or both simultaneously. Human engineering and innovative design result in a multipurpose device.

MANUFACTURER

Direct Incorporated 1279 Lawrence Station Road Sunnyvale, CA 94086 408 734-5504

Established July 1978. First product shipped June 1980. More than 20 distributor locations throughout the U.S. and Canada. Direct is the only Hewlett-Packard compatible block mode terminal and workstation manufacturer in the world.

FIRST DELIVERED

September 1981.

PROCESSOR

Z80 CPU. 64KB standard main memory. 128KB maximum main memory.

MASS STORAGE OPTIONS

25¼" floppies with 624KB. Winchester option 1/83.

DISPLAY CONSOLE

P4 white or P31 green phosphor CRT. 80x24, 132x24 or 132x28 character format. 80 or 132 column display. Font editing package allows display of user designed unique characters.

PRINTER INTERFACE SUPPORT

Serial RS232 bi-directional auxiliary port using DB25S connector.

OTHER I/O SUPPORT

Internal 300/1200 baud 212 type modem and Tektronix 4010 Plot-10 graphics options available.

PACKAGING

Integrated unit with fold-up detachable keyboard. Low profile design. Typewriter style keyboard. The unique case won a design award.



SALES AND SERVICE

Nearest dealer information:

408 734-5504

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Other software included:

Operator Help system included.

Price for the above:

\$4,395

Guarantee:

3 months.

System serviced by:

Distributor, factory and regional.

VENDOR STATEMENT

The DIRECT OA1000 is an integrated self-contained information station that utilizes dual Z80 processors. It has 128KB of RAM memory, a CP/M operating system and dual 5¼" floppy drives. The OA1000 can function as a video display terminal or as a computing system. Data may be transferred from the unit's disks to a host and vice versa. A range of terminal personalities are available. They are loaded from diskette into the OA1000's RAM memory.

Discovery Multiprocessor

A multi-user system with each user being provided his own CPU.

ORIENTATION

General purpose, multi-user, multiprocessor S-100 microcomputer system which features both 8 bit Z80 and 16 bit 8086/8087 processors in the same system. May be used for word processing, business applications, data base management systems, scientific and engineering computations.

MANUFACTURER

Action Computer Enterprise, Inc. 55 West Del Mar Blvd. Pasadena, CA 91105 231 793-2440

Established in March 1979. Annual Sales of \$4M. 50 domestic dealers, 25 international dealers.

FIRST DELIVERED

January 1980.

PROCESSOR

Z80 and 8086 CPU. 192KB standard main memory. 16MB maximum main memory.

MASS STORAGE OPTIONS

2 51/4" floppies with 800KB. 14" 33/66MB Winchester. 101/2" 10MB fixed/10MB removable cartridge drive. 8" Winchester. 51/4" Winchester.

DISPLAY CONSOLE

RS232 terminals, 80x24 character display, graphics optional.

PRINTER INTERFACE SUPPORT

Centronics, RS232 serial.

OTHER I/O SUPPORT

Tape cartridge — ¼", 9 track tape — ½", modem, 8 channel high speed serial ports (RS422).

PACKAGING

Table top or rack mount.



SALES AND SERVICE

Nearest dealer information:

213 793-2440

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). CP/M.

Price for the above:

\$4,960 + keyboard and display.

Guarantee:

6 months.

System serviced by:

Dealer or factory.

VENDOR STATEMENT

The DISCOVERY is one of the first S-100 micro systems that is based on the architecture of multiprocessing. Each system can support up to 16 users. The users all have individual CPU and memory. The system allows intermixing of Z80 and 8086/8087 processors. Users run standard unmodified CP/M 80 or CP/M 86. The bus controlling, or Service Processor executes DPC/OS, Action's own high performance multiprocessing operating system. Multi-user facilities such as file lock and record locking, cross-submits, and interprocessor communications are supported.

Diskstor-M

Diskstor-M combines the industry standard Multibus hardware with Winchester disk technology.

ORIENTATION

General purpose.

MANUFACTURER

Comark Corporation 257 Crescent Street Waltham, MA 02154 617 894-7000

Incorporated 1979. \$2.5 million sales. Factory direct.

FIRST DELIVERED

October 1981.

PROCESSOR

8085 CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

18" floppy with 1MB. 15¼" Winchester with 18MB.

DISPLAY CONSOLE

Standard low cost ASCII terminal.

PRINTER INTERFACE SUPPORT

Centronics.

OTHER I/O SUPPORT

1/4" cartridge tape, 1/2" IBM magnetic tape, serial ports and parallel ports.

PACKAGING

Desk top, rack, work station mounting. 4/12 expansion slots, integrated disks, card (Multibus) file, power supply, communications panel, chassis and cast aluminum bezel.



SALES AND SERVICE

Nearest dealer information:

617 894-7000

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent).

Other software included:

ROM resident diagnostics.

Price for the above:

\$7,100 + keyboard and display.

Guarantee:

3 months.

System serviced by:

Factory, module swap program.

VENDOR STATEMENT

Diskstor is available in an 8086 configuration with CP/M 86 at a slightly higher price.

Durango F-85

A fully integrated package, including the printer.

ORIENTATION

Integrated desktop data processing system designed for use in small businesses.

MANUFACTURER

Durango Systems, Inc. 3003 N. First Street San Jose, CA 95134 408 946-5000

Durango Systems, Inc. was established in September 1977. The company introduced the F-85 in September 1978 and began shipment of production units in December 1978. The company has direct sales offices and an established network of 160 independent dealers to market the F-85 across the U.S. and international distributors worldwide.

FIRST DELIVERED

December 1978.

PROCESSOR

Intel 8085 CPU. 64KB standard main memory. 196KB maximum main memory.

MASS STORAGE OPTIONS

1 5¼" floppy with 1MB. 12 or 24MB fixed disk. Fixed disk system has a maximum size of 49MB. New 900 Series integrated 5¼" fixed disk of 7MB or 14MB. Auxiliary drive of 7 or 14MB available.

DISPLAY CONSOLE

9 inch diagonal CRT screen, 24x80 characters or 16x64 characters. ASCII 94 symbol set. Line graphics. Green phosphor color.

PRINTER INTERFACE SUPPORT

Integral printer, bi-directional printing at 165 CPS with upper/lower case. High resolution (9x9) dot matrix. Will accommodate forms from 3½" to 14½"

OTHER I/O SUPPORT

Supports EIA (RS232) single or multi-port, IEEE488.



PACKAGING

Integrated diskettes, fixed disks, video, keyboard and printer. Auxiliary diskettes and fixed disks available. Integrated system includes all options. No outside vendor supported slots.

SALES AND SERVICE

Nearest dealer information:

408 946-5000

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Price for the above:

\$8,475.

Guarantee:

90 days.

System serviced by:

Factory serviced, on-site maintenance contracts available.

VENDOR STATEMENT

The Durango F-85 desktop computer has integrated all of the necessary peripheral equipment and processor into a single product slightly larger than an electric typewriter. Its' portable, compact design weighs approximately 65 pounds.

The CP/M Operating System available for the Durango offers full support utilities, allowing you to take advantage of the wide range of application packages currently available on the market today, including general accounting, word processing, inventory control, job costing, property management, mailing lists, etc. Program in BASIC, FORTRAN, PASCAL, COBOL. Take advantage of complete CRT screen attributes such as reverse screen, blink, highlight, underscore, cursor control and programmable control of printer fonts.

Eagle II

A fully integrated desktop package with a fine business software complex included.

ORIENTATION

Eagle II is designed for the first-time small business computer use.

MANUFACTURER

Eagle Computer, Inc. 983 University Avenue Los Gatos, CA 95030 408 395-5005

PROCESSOR

Z80A CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

251/4" floppies with 390KB each.

DISPLAY CONSOLE

12" CRT, P31 green phosphor, 80x24 characters.

PRINTER INTERFACE SUPPORT

1 Centronics, 2 serial. 1 additional parallel port.

OTHER I/O SUPPORT

2 RS232 serial ports, 1 parallel port.

PACKAGING

Self contained, lightweight, desktop unit; 75 key station, full numeric keypad, 32 special function keys.



SALES AND SERVICE

Nearest dealer information:

408 395-5005

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M

Other software included:

Financial planner, word processor, and CBASIC.

Price for the above:

\$2,995.

Guarantee:

90 days labor. 1 year parts.

System serviced by:

Dealer, factory and regional.

VENDOR STATEMENT

An Eagle computer is a selfcontained, fully functional system. Reliable hardware and top-rated software are included in one easyon-the-budget package.

G&G System 205

Definitely a multi-user system — capable of running 8 and 16 bit software at the same time.

ORIENTATION

General purpose hard disk based multi-user system. Up to 8 users can run both 8 and 16 bit CP/M software simultaneously. Ideal for word processing, data base management, spread sheets or accounting.

MANUFACTURER

G&G Engineering 1922 Republic Avenue San Leandro, CA 94577 415 895-0798

Established in 1980.

FIRST DELIVERED

March 1982.

PROCESSOR

8085 and 8088 CPU. 256KB standard main memory. 1024KB maximum main memory.

MASS STORAGE OPTIONS

28" double-sided, double-density floppies with 2.4MB. 151/4" Winchester with 5MB. 8" Winchester with 20MB, 17MB tape backup.

DISPLAY CONSOLE

Any RS232 serial terminal. Graphics option: 1224x240 graphics terminal with software. Drivers for X-Y plotter and dot matrix printer (e.g., Epson MX-80).

PRINTER INTERFACE SUPPORT

8 RS232 serial ports, 50 to 19.2K baud. Optional: Centronics parallel port.

OTHER I/O SUPPORT

Hardware and software support for 300 or 1200 baud modem.

PACKAGING

Desk top or rack mount, IEEE696/S-100 bus, 20 slots.



SALES AND SERVICE

Nearest dealer information:

415 895-0798

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). CP/M.

Other software included:

CP/M 86, MP/M 86 with MP/M 8-16, dBASE II, SuperCalc 86, MBasic.

Price for the above:

\$10,500 + keyboard and display.

Guarantee:

24 months.

System serviced by:

Factory.

VENDOR STATEMENT

The G&G Engineering system is the only microcomputer currently available capable of running both CP/M 80 and CP/M 86 software at the same time, while supporting up to 8 users on an assortment of hard disks (5¼", 8" and 14"). The ability to add high resolution graphics and tape backup further enhances this unique product.

Hewlett-Packard HP-87 Personal Computer

The HP-87 features fast CRT graphics and graphics plotters.



ORIENTATION

General purpose for managers and professionals.

MANUFACTURER

Hewlett-Packard 1010 N.E. Circle Blvd. Corvallis, OR 97330 503-757-2000

PROCESSOR

HP CPU in native mode, Z80 using CP/M module. 128KB standard main memory. 640KB maximum main memory.

MASS STORAGE OPTIONS

251/4" floppies with 270KB each.

DISPLAY CONSOLE

Integrated full-width 80-column display with white phosphor.

Character format:

Alphanumeric — 80x24 or 16 line. Graphics — 240x400 or 544 dots. Character font: 5x7 dot matrix Character set: 256 (set of 128 characters with and without inverse video).

PRINTER INTERFACE SUPPORT

HP-IB, serial, parallel and others. Preferred printer: HP82905.

OTHER I/O SUPPORT

4 ports accept optional interfaces, modem, memory modules, CP/M module or ROM drawer. IEEE488, graphics tablet, graphics plotter.

PACKAGING

4 I/O slots with keyboard, CPU and integrated CRT. Can attach up to 14 peripherals (floppies, hard disks, plotters, printers, etc.) using one HP-IB card.

SALES AND SERVICE

Nearest dealer information:

800 547-3400. In Oregon, Alaska and Hawaii call 503 758-1010.

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M

Price for the above:

\$5,690.

Guarantee:

3 months.

System serviced by:

Various options: Dealer Repair Center serviced by HP at dealer's site for selected dealers; On-site contracts serviced by HP; Return to HP Service Center (more economical than on-site contracts).

VENDOR STATEMENT

If you need to do extensive programming, the HP-87 should be your choice. With the ability to expand to 608KB bytes of total memory, the HP-87 Personal Computer lets you run long, complex programs. The expandable memory also lets you prepare analyses and reports that reduce stacks of information to a workable form. Analyze those data-crunching problems you face every day with concise charts, tables and easy-to-read printouts of your notes and reports.

Whether you're a computer novice or an experienced programmer, you can learn to use the HP-87 quickly and easily. The alphanumeric keyboard is so similar to that of a typewriter that it's a snap to type statements and commands. With the 14 user-definable keys you can assign special functions and commands that make your HP-87 a truly personal computer.

IMS 5000SX

Room in the cabinet to add a Winchester and upgradable to multi-user.

ORIENTATION

Business applications and word processing.

MANUFACTURER

IMS International 2800 Lockheed Way Carson City, NV 89701 702 883-7611

Company established in 1978. 160 domestic dealers and 35 international dealers.

FIRST DELIVERED

1981.

PROCESSOR

Z80A and Z80B CPU. 64KB standard main memory. 512KB maximum main memory.

MASS STORAGE OPTIONS

15¼" Winchester with 5-15MB. 25¼" floppies with up to 819KB each.

DISPLAY CONSOLE

AMPEX D81 and Televideo 950. P31 green phosphor.

PRINTER INTERFACE SUPPORT

NEC 7700 and Okidata ML-82A and ML-83A.

OTHER I/O SUPPORT

16 serial and 2 parallel ports.

PACKAGING

3 slots available. Tape backup stand-alone available.



SALES AND SERVICE

Nearest dealer information:

702 883-7611

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Price for the above:

\$4,800.

Guarantee:

24 months.

System serviced by:

Dealer and factory.

VENDOR STATEMENT

Our products are intended for all office automation applications.

Ithaca 525

Featuring a unique cache CP/M support for extremely fast execution.

ORIENTATION

General purpose. For business, scientific, development and educational.

MANUFACTURER

Ithaca InterSystems, Inc. 1650 Hanshaw Road P.O. Box 91 Ithaca, NY 14850 607 257-0190

Company established in 1978. Annual sales of \$5M. 225 sales outlets. C.E.O: Robert G. Kleine. President: James H. Watson, Jr. National Sales Manager: Ray D'Onofrio.

FIRST DELIVERED

April 1980.

PROCESSOR

Z80B CPU. 128KB standard main memory. 720KB maximum main memory.

MASS STORAGE OPTIONS

25¼" floppies with 360KB each. 15¼" hard disk with 5MB.

DISPLAY CONSOLE

Supports any RS232 serial or parallel display.

PRINTER INTERFACE SUPPORT

Supports any RS232 serial or parallel printer.

OTHER I/O SUPPORT

VIO board has 2 serial and 2 parallel ports. SIO board has 6 serial ports. Systems I/O supports all RS232 terminals, printers, modems and tape.

PACKAGING

S-100 IEEE standard bus. 10 slot motherboard on 51/4". Expansion capabilities: 51/4", 6 slots for memory, I/O, etc.



SALES AND SERVICE

Nearest dealer information:

607 257-0190

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). CP/M.

Other software included:

Pascal/Z and InterPak (utilities), CACHE BIOS.

Price for the above:

\$6,000 + keyboard and display.

Guarantee:

3 months.

System serviced by:

Dealer, distributor, factory and third party.

VENDOR STATEMENT

Ithaca InterSystems manufactures a complete line of 8 and 16 bit microcomputers with 8 bit CP/M CACHE/BIOS single user and MP/M CACHE/XIOS multiuser systems that are 500% faster than non-CACHE systems.

Lobo Max-80

A built-in clock/calendar, disk controller and many other features are standard.

ORIENTATION

General purpose machine with either TRSDOS or CP/M.

MANUFACTURER

Lobo Drives International 358 S. Fairview Avenue Goleta, CA 93117 800 235-1245 800 322-6103 (CA only)

Company in existance approximately 3 years.

FIRST DELIVERED

July 1982.

PROCESSOR

Z80B CPU. 64KB standard main memory. 128KB maximum main memory.

MASS STORAGE OPTIONS

Choice of 51/4" or 8" floppies. 51/4" or 8" Winchester available. All interfaces are built-in. 51/4" floppies are 332KB each.

DISPLAY CONSOLE

Standard 24x80 video, plus TRS-80 16x64 and 16x32 modes — software selectable. All 128 ASCII and 64 graphic characters are RAM-based and redefinable. Green screen.

PRINTER INTERFACE SUPPORT SALES AND SERVICE

Serial or Centronics parallel.

OTHER I/O SUPPORT

2 RS232C serial ports with independent baud rates. Centronics-type parallel port. Buffered bus expansion connector.

PACKAGING

76-key professional keyboard with numeric pad and 4 function keys. Real-time clock/calendar with self-charging backup battery, power supply and I/O connectors. CRT and disks separate.

Nearest dealer information:

Factory direct. 800 235-1245 800 322-6103 (CA only)

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Other software included:

LDOS available for \$69 additional

Price for the above:

\$1,660.

Guarantee:

12 months.

System serviced by:

Factory. Lobo will pay return freight if under warranty.

VENDOR STATEMENT

The Lobo Max-80 is an all-new design that incorporates the best features of popular microcomputers while eliminating the annoyances.

It features:

Bounce-free keyboard with U/L case and soft keys; Built-in disk interfaces: Multiple operating system; Single compact case.





Mariner

A multiuser system with a processor board for each of eight users.

ORIENTATION

General purpose. Multi-tasking, multiprocessor master/slave system.

MANUFACTURER

Micromation, Inc. 1620 Montgomery San Francisco, CA 94111 415 398-0289

PROCESSOR

Z80A CPU per user. 64KB + 64KB per user standard main memory. 576KB maximum main memory.

MASS STORAGE OPTIONS

8" floppy, 1-4 drives of .25-1MB each. 8" Winchester, 21MB.

8" Winchester, 42MB.

8" Winchester, 84MB.

DISPLAY CONSOLE

1-8 RS232 CRTS.

PRINTER INTERFACE SUPPORT

1 Centronics port, multiple ports. (Number depends on system configuration).

OTHER I/O SUPPORT

S-100 bus compatible architecture. Extra serial I/O ports optional. Local serial I/O on slave processors.

PACKAGING

Free standing console.

SALES AND SERVICE

Nearest dealer information:

415 398-0289

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Other software included:

Call 415 398-0289, Sales Department.

Price for the above:

\$6,450.

Guarantee:

6 months on electronics. 90 days on disks.

System serviced by:

TRW.

VENDOR STATEMENT

Benefiting from Micromation's M/NET concept, Mariner delivers bigger system performance in a multitasking environment while realizing the proven reliability and economies of 8-bit technology. CP/M compatibility lets you choose from a wide range of applications software.

If you're serious about using computers to help your business, contact us for the name of your nearest Micromation distributor. And, if you're a computer dealer that's serious about expanding your market coverage and customer base, be sure to inquire about our dealer support program.



M/A Masterkey 230

The Masterkey Series has both Z80 and 6502 CPU's.

ORIENTATION

Small business.

MANUFACTURER

M/A Com Office Systems, Inc. 7 Oak Park Bedford, MA 01730 617 275-4440

Formerly Ohio Scientific, Inc. which was established in 1975. Now part of NYSE Corporation M/A-Com. The personal computer division has 85,000 feet of floor space and 180 employees.

FIRST DELIVERED

April 1982.

PROCESSOR

Z80 or 6502 CPU. 56KB standard main memory. 344KB maximum main memory.

MASS STORAGE OPTIONS

18" floppy with 275KB. 18" hard disk with 10MB. 114" hard disk with 80MB. 230 Series up to 4 users.

DISPLAY CONSOLE

Standard 12" Hazeltine or Digital VT100.

PRINTER INTERFACE SUPPORT

Centronics, Diablo, Serial.

OTHER I/O SUPPORT

Modem.

PACKAGING

Boxed-in desktop.



SALES AND SERVICE

Nearest dealer information:

617 275-4440

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Other software included:

OS-65U with Microsoft BASIC.

Price for the above:

\$5,740.

Guarantee:

3 months.

System serviced by:

Dealer and Factory.

VENDOR STATEMENT

The 230 Series microcomputer is a desktop member of the powerful and reliable M/A-COM OSI keyfamily of computer systems.

The 230 Series systems, incorporating M/A-COM OSI's unique dual-microprocessor Central Processing Unit (CPU) are offered in two models readily adaptable to suit user needs.

All 230's are readily expandable to 4 time sharing users.

Monarch System

CP/M on an 8 bit machine running concurrently with MP/M 86 on a 16 bit machine.

ORIENTATION

General purpose multi-user business computer that concurrently processes both CP/M 80, MPM II with CP/M 86 and MP/M 86 to bridge the software gap.

MANUFACTURER

Dynabyte 521 Cottonwood Drive Milpitas, CA 95035 408 263-1221

Established in 1977, first multi-user micro was shipped in 1979. Have doubled in sales every year since 1977. Dynabyte products are successfully operating in 50 states and 37 countries and are marketed worldwide.

FIRST DELIVERED

June 1982.

PROCESSOR

Z80B and 8086 CPU. 256KB standard main memory. 1000KB maximum main memory.

MASS STORAGE OPTIONS

18" floppy with 600KB. 1514" 19MB Winchester. Winchester capacity can expand to 200MB.

DISPLAY CONSOLE

CRT is optional. Any color, graphics, black and white, dumb, intelligent, etc., RS232 CRT will work.

PRINTER INTERFACE SUPPORT

Parallel port.

OTHER I/O SUPPORT

12 I/O ports standard. Optional: 3 S-100 or multibus slots for expansion.

PACKAGING

Monarch weighs 42 pounds and is housed in a custom tabletop cabinet. Optional: Multibus or S-100 internal 3 slot card cage.



SALES AND SERVICE

Nearest dealer information:

800 538-3939

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Price for the above:

\$6,995 + keyboard and display.

Guarantee:

180 days.

System serviced by:

Dealer, factory and regional, plus third party — SORBUS.

VENDOR STATEMENT

The Dynabyte MONARCH microcomputer system provides true minicomputer performance. MONARCH supports from 1 to 16 users using a unique 16 bit/8 bit multi-processor architecture. MONARCH bridges the software gap between 8 bit and 16 bit processing by allowing concurrent operation. The system is capable of expanding up to 1 megabyte of memory and up to 76 megabytes of Winchester disk capacity.

Multi-Tech Systems MT500

Well known modem manufacturer branches into desktop computing.

ORIENTATION

The MT500 desktop computer is a general purpose microcomputer with special features which make it very powerful and flexible for word processing, etc.

DMA display and 103 key keyboard with 32 programmable function keys.

MANUFACTURER

Multi-Tech Systems 82 Second Avenue S.E. New Brighton, MN 55112 612 631-3550

Manufacturer of data communications and microcomputer equipment. Products include 300 bps acoustic couplers; modems, RS232 breakout boxes and CBT DAA couplers. The company manufactures a Z80A based desktop microcomputer system with built-in floppy or Winchester disk drive. 1981 sales totaled \$3 million. The company employs 50 people.

FIRST DELIVERED

1981

PROCESSOR

Z80A CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

MT500I: 15¼" floppy with 450KB.
MT500III: 25¼" floppies with 450KB each.
MT500IV: 25¼" floppies with 900KB each.
MT500V: 15¼" floppy with 900KB and
15¼" hard disk with 5MB.

MT500X: 15¼" floppy with 900KB and 15¼" hard disk with 10MB.

DISPLAY CONSOLE

Amber phosphor 80x24 character CRT. 8x8 resolution.

PRINTER INTERFACE SUPPORT

Centronics and serial RS232C.

OTHER I/O SUPPORT

Modems manufactured by Multi-Tech Systems: FM30, FM31, FM30AB, MT113C, MT113D, MT103J, MT201B and MT202T.



PACKAGING

The MT500 chasis integrates the CRT, computer, power supply and 2 5¼" disk drives into a single desktop unit. The keyboard is detachable. The MT500 CPU board is a single printed circuit board with 4 S-100 expansion connectors.

SALES AND SERVICE

Nearest dealer information:

612 631-3550

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M

Price for the above:

\$5,245.

Guarantee:

3 months.

System serviced by:

Factory and distributor.

VENDOR STATEMENT

We feel that the MT500 offers the best price/performance combination available in its class. It utilizes a Z80A processor, 64KB memory and the CP/M operating system by Digital Research Corporation. The MT500's physical construction features a detachable keyboard and a steel desk-top enclosure which contains the complete computer, a 12 inch direct memory access CRT screen and the disk drives.

Other important features standard in the MT500 include: a high quality detachable keyboard, 103 keys including 31 programmable function keys; built-in single or dual 450KB or 900KB minifloppy drives; optional built-in 5 or 10MB hard disk drives; 4 slot built-in S-100 bus for expansion; data and word processing capability; a wide variety of programming languages; cost effectiveness — list price beginning at \$4295 for the base hardware.

NEC PC-8000

A strong entry from a major Japanese electronics manufacturer.

ORIENTATION

General purpose.

MANUFACTURER

NEC Home Electronics 1401 W. Estes Elk Grove, IL 60007 312 228-5900

NEC was established in July 1899, with annual sales of \$4.87 billion.

FIRST DELIVERED

1979.

PROCESSOR

Custom Z80A equivalent. 32KB standard main memory. 160KB maximum main memory.

MASS STORAGE OPTIONS

251/4" floppies with 163KB per drive.

DISPLAY CONSOLE

High resolution 80x24 green phosphor 12" CRT, adjustable scrolling window.

PRINTER INTERFACE SUPPORT

Standard interface is Centronics, serial will be available.

NEC PC-8023A - 100 CPS, standard ASCII 96 characters, plus numerous Greek, math and graphics characters. Columns selectable between 48 and 136 per page.

OTHER I/O SUPPORT

Modem, serial and parallel ports, RGB monitors, cassette.

PACKAGING

Detached components, keyboard has upper/lower case, 248 character set, numeric keypad, control keys, screen editing function keys and 5 programmable function keys.



SALES AND SERVICE

Nearest dealer information:

800 323-1728

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M compatible.

Other software included:

Built-in Microsoft N-BASIC.

Price for the above:

\$2,999.

Guarantee:

3 months.

System serviced by:

Authorized dealers, distributors or factory.

VENDOR STATEMENT

The major emphasis NEC has taken with the PC-8000 is one of total support. The system is designed and manufactured with very little downtime as a primary objective. The same quality standards apply to software selection. Before a software package is accepted as "NEC approved" it must undergo stringent programming and user evaluations. Finally, a nationwide sales, service and support system is available.

Osborne 1

Complete computer in a portable case that fits under an airplane seat.

ORIENTATION

General purpose computer for word processing, calculations and applications programming.

MANUFACTURER

Osborne Computer Company 26538 Danti Court Hayward, CA 94545 415 887-8080

Osborne incorporated in January 1981. \$10 million in sales by the end of 1981. 400 domestic dealers and 300 international dealers.

FIRST DELIVERED

July 1981.

PROCESSOR

Z80 CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

251/4" floppies with 102KB each.

DISPLAY CONSOLE

5¼" black and white CRT, 52x24 characters with horizontal scrolling.

PRINTER INTERFACE SUPPORT

Centronics and serial.

OTHER I/O SUPPORT

Modem interface, IEEE488 interface, RS232 serial port, battery pack interface.

PACKAGING

Integral plastic case snaps together to form a weather-resistant, 24 pound package.



SALES AND SERVICE

Nearest dealer information:

415 887-8080

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M

Other software included:

Wordstar, Supercalc, MBASIC and CBASIC.

Price for the above:

\$1,795.

Guarantee:

3 months.

System serviced by:

Dealer.

VENDOR STATEMENT

The Osborne 1 Personal Business Computer was designed, built and priced with one objective: To make you more productive in your work, your business or your profession...now. The system is delivered with the hardware and software tools you need to go to work right away, on the jobs you do for hours every day.

Otrona Attache

Only 1/2 cubic foot and 18 pounds, this attache-sized computer has 720KB of floppy storage.

ORIENTATION

General purpose.

MANUFACTURER

Otrona Corporation 4755 Walnut Street Boulder, CO 80301 303 444-8100

Otrona was founded in April 1977, for contract engineering. In 1981, contract engineering was discontinued to complete development of the ATTACHE portable computer. At present, annual sales can't be determined as shipment began in March 1982. We have approximately 50 sales outlets.

FIRST DELIVERED

March 1982.

PROCESSOR

Z80A CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

25¼" floppies, double-sided, double-density with 360KB per drive.

DISPLAY CONSOLE

5½" diagonal green phosphor CRT, 80x24 columns, 320x240 graphics resolution.

PRINTER INTERFACE SUPPORT

RS232 serial, also RS422 and RS423. Parallel is optional.

OTHER I/O SUPPORT

1 RS232 serial communication port. Optional: 1 IEEE488 interface.

PACKAGING

Portable 18 pound high performance computer system. 1 expansion slot. Optional: DC converter, battery packs.



SALES AND SERVICE

Nearest dealer information:

303 444-8100

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M

Other software included:

Wordstar-Plus, Microsoft Basic-80, VALET and CHARTON.

Price for the above:

\$3,995.

Guarantee:

90 days.

System serviced by:

Dealer.

VENDOR STATEMENT

ATTACHE by OTRONA was designed for applications that require portability or compactness. It is an entire computing system packaged in a rugged cabinet. For transport, the keyboard flips up to form a lid that protects the disk drives and CRT display. ATTACHE lets you achieve new levels of capability and flexibility.

Quasar QDP-100 System

Features a capability of offering online menu-style display of available programs and options for selection and execution.

ORIENTATION

Microcomputer system for business, engineering and professional applications.

MANUFACTURER

Quasar Data Products 10330 Brecksville Road Brecksville, OH 44141 216 526-0838

Established in 1978. Products marketed through a network of 22 distributors in the U.S. as well as Canada (3), France (2), Great Britain and others internationally.

FIRST DELIVERED

May 1980.

PROCESSOR

Z80A CPU. 64KB standard main memory. 256KB maximum main memory.

MASS STORAGE OPTIONS

28" double-sided, double-density floppies for 2.4MB. Floppy drives support single density read/write/format option (IBM-3740). QDP-100H features 18" floppy and 15½" or 8" hard disk (10MB or 15MB). Hard disk expansion units (HD-10 and HD-15) are also available.

DISPLAY CONSOLE

Easy terminal configuration. Full port interrupt and handshaking capabilities. 30 character serial port input buffer memory for high speed typing with no input command or data loss. In multiuser configuration, supports up to 4 terminals and 4 concurrent tasks.

PRINTER INTERFACE SUPPORT

Centronics compatible.

OTHER I/O SUPPORT

RS232 interface, 2 serial and 2 parallel ports, (1 Centronics compatible), up to 6 serial and 4 parallel ports for multi-user applications.



PACKAGING

Integral package with modular internal construction for ease of expansion and servicing. Front panel main power key and status indicators for disk drives. 2 switched, fused AC outlets for peripherals. Quiet, filtered cooling system and noise filtered heavy duty power supply. Uninterruptable power supply option available. 6 slot motherboard with 3 expansion slots in a typical system.

SALES AND SERVICE

Nearest dealer information:

216 526-0838

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). CP/M

Other software included:

CBASIC language.

Price for the above:

\$4,695 + keyboard & display.

Guarantee:

12 months.

System serviced by:

The Installation and Service Engineering Division of General Electric Company.

VENDOR STATEMENT

The QDP-100 is supplied complete, for use with any popular terminal, with CP/M operating system or MP/M with the multi-user option.

Rair Black Box

One of the first computers to be delivered with Winchester drives.

ORIENTATION

General purpose.

MANUFACTURER

Rair 4101 Burton Drive Santa Clara, CA 95050 408 988-1790

Company established in 1975.
Designed and manufactured first computer in 1978. Shipped first Winchester disk system in 1980. Now producing a range of 6 computers ranging from 64KB twin floppy system with CP/M to 1MB RAM, 16MB disk system with MP/M II.

FIRST DELIVERED

1978.

PROCESSOR

Intel 8085 (various models). 256KB standard main memory. 1024KB maximum main memory.

MASS STORAGE OPTIONS

5¼" 500KB floppy. 5¼" 5MB formatted Winchester. 5¼" 16MB formatted Winchester.

DISPLAY CONSOLE

Any RS232 compatible display and keyboard.

PRINTER INTERFACE SUPPORT

Any RS232 compatible printer.

OTHER I/O SUPPORT

Up to 16 serial I/O ports (RS232) and IEEE488 bus.

PACKAGING

Integral disks, 8 internal slots, 2,4,8 or 16 serial I/O ports.





SALES AND SERVICE

Nearest dealer information:

408 988-1790

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent).

Price for the above:

\$4,500 + keyboard and display.

Guarantee:

3 months.

System serviced by:

Factory and some Regional.

VENDOR STATEMENT

The RAIR Black Box model 3/30 is a general purpose system designed for applications in all areas of commercial and industrial data processing. It is ideally suited as a standalone singleuser or multi-user computer systems with high capacity data storage.

R2E of America Model XP/1

An entry level system with a graceful upward growth pattern.

ORIENTATION

General purpose, word and text processing, data communications.

MANUFACTURER

R2E of America 2545 West County Road C Roseville, MN 55113 612 638-5900

Subsidiary of Cii-Honeywell Bull Group of France.

FIRST DELIVERED

1979.

PROCESSOR

Z80A CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

251/4" floppies with 450KB each.

DISPLAY CONSOLE

12" amber anti-glare CRT, with reverse video, underscore and blinking character capabilities.

PRINTER INTERFACE SUPPORT

Centronics and RS232. 17, 40, 150 cps and 300 lpm printers supported (serial and parallel).

OTHER I/O SUPPORT

Serial and parallel ports. 3270 mode, 3780 communications.

PACKAGING

Keyboard has 128 character ASCII set, 14 key numeric keypad, 12 programmable function keys.

SALES AND SERVICE

Nearest dealer information:

612 638-5900

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M

Price for the above:

\$5,060.

Guarantee:


90 days.

System serviced by:

Factory or distributor by arrangement.

VENDOR STATEMENT

The XP/1 is an entry-level word processor, providing 900KB of minifloppy disk storage and an expanded sculptured style keyboard, in a white hammertone finish metal desktop cabinet.



Sanyo Model MBC-1000

Green phosphor, function keys, 320KB floppy and guaranteed for one year... at an interesting price.

ORIENTATION

General purpose.

MANUFACTURER

Sanyo Business Systems 51 Joseph Street Moonachie, NJ 07074 201 440-9300

Sanyo is a well known conglomerate with international sales in excess of \$8 billion.

FIRST DELIVERED

June 1982.

PROCESSOR

Z80 CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

15¼" floppy with 320KB. Up to 4 floppies for 1.3MB, at the same time support 2 or 48" IBM disks. Winchester 5, 10, 20, 60MB.

DISPLAY CONSOLE

12" green phosphor CRT, 80x25 characters 8x8 dot matrix, 6x7 resolution.

PRINTER INTERFACE SUPPORT

Centronics preferred, RS232 is also supplied standard.

OTHER I/O SUPPORT

Additional optional output ports include RS232, TSS buffered RS232, Centronics wirewrap development boards.

PACKAGING

4 slots are provided. Detachable keyboard, ASCII type with 5 programmable function keys.



SALES AND SERVICE

Nearest dealer information:

201 440-9200

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Price for the above:

\$1,995.

Guarantee:

1 year.

System serviced by:

Dealer, factory and regional.

VENDOR STATEMENT

The Sanyo MBC-1000 is a full sized, full power computer that comes standard with CP/M, Sanyo Basic, Diagnostics, and Utilities.

The MBC-2000 and 3000, our larger "growth oriented" machines, offer increased initial disc and graphics capacity and expandability through multibus slots.

Sundance 1

The Sundance comes standard with a built-in Winchester and tape backup.

ORIENTATION

The integrated Sundance computer system is an easy to use, low cost single user system with hardware and software capabilities normally found only in much larger systems. The entire system is contained in a single compact and attractive office environment desktop unit. Since it is a complete system, it offers the user comprehensive application support for every business need. It allows the user to migrate to a multi-user system as the computing requirements grow.

MANUFACTURER

Onyx Systems, Inc. 25 E. Trimble Road San Jose, CA 95131 408 946-6330

Onyx Systems was founded in 1978 to design and manufacture state of the art microcomputer systems. In October 1980, Onyx was acquired by ONYX/IMI, Inc., and along with IMI, a manufacturer of Winchester disk drives, now forms the nucleus of this vertically integrated systems company. The growth path at Onyx has been rapid. Onyx sales grew from \$3.6 million in 1980 to \$16.9 million in 1981, and 1982 is expected to increase to over \$30 million.

FIRST DELIVERED

October 1981.

PROCESSOR

Z80A CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

151/4" Winchester with 6.7MB (unformatted).

DISPLAY CONSOLE

12" non-glare green phosphor, 24x80, or 24x132 characters, 7x9 dot matrix with descenders; double height and/or double width characters; 96-character displayable ASCII subset (upper and lower case numeric, line drawing, punctuation) normal, reverse video, blinking, underline, half intensity.



PRINTER INTERFACE SUPPORT

Will support a choice of printers to meet every business requirement; a letter quality unit, a low cost dot matrix, and a high speed (200 lines per minute). The system will support 2 printers — a serial and a parallel — simultaneously.

OTHER I/O SUPPORT

3 ports are standard: 1 RS232 for serial printer, 1 for a parallel and 1 RS232 port with modem support for communication with another computer system. The parallel port can also be used to interface to an 8" floppy for loading program and data files.

PACKAGING

Built-in magnetic tape cartridge for fast easy backup for the Winchester. Since the tape is completely enclosed in a rugged dustproof case, it is a highly reliable means of backing up critical data. The tape is single ¼" drive, 6250 bpi, 90ips and 10MB (300' tape). Detachable keyboard with 67 sculptured keys in standard typewriter format.

SALES AND SERVICE

Nearest dealer information:

408 946-6330

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Price for the above:

\$7395.

Guarantee:

3 months.

System serviced by:

Service contracts can be purchased through Onyx Systems and on-site service performed by RCA Data Services.

VENDOR STATEMENT

All Onyx products feature:
Switching power supplies that offer cooler operation and greater reliability than non-switching types; Line voltage sensing circuits that eliminate power failure induced disk write errors;
Large format logic cards that use a minimum of connections; 4-layer circuit boards; Automatic semi-conductor memory check (parity check); Over 2 years of cartridge tape backup use on in-field products.

Supermicro 8

With a built-in Winchester, this system can expand up to 8 users, each with his own Z80.

ORIENTATION

General purpose multi-user microcomputer system supports CP/M applications. Each user has his own CPU and 64KB. All users share a common Winchester disk drive via a high speed interprocessor bus. Supports a maximum of 8 users.

MANUFACTURER

Molecular Computer 1841 Zanker Road San Jose, CA 95112 408 995-5440

Founded in January 1981, by Rockland K. Awalt. Today there are more than 150 installations, valued in excess of \$3 million.

FIRST DELIVERED

February 1982.

PROCESSOR

Z80A CPU. 64KB standard main memory. 64KB per user maximum memory.

MASS STORAGE OPTIONS

15¼" Winchester with 10MB. 8" floppy with 500KB. Expandable to 30MB Winchester disks. 20MB streamer tape.

DISPLAY CONSOLE

Any "dumb" terminal.

PRINTER INTERFACE SUPPORT

Any serial printer.

OTHER I/O SUPPORT

Standard RS232 modem.

PACKAGING

Free standing cabinet with internal mounting brackets for expansion capabilities.



SALES AND SERVICE

Nearest dealer information:

408 995-5440.

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). CP/M compatible (n/STAR).

Price for the above:

\$7,995 + keyboard and display.

Guarantee:

3 months.

System serviced by:

Dealer, regional or local third party service.

VENDOR STATEMENT

The Supermicro 8 system offers a high performance, low cost entry into the multiple user local network market. The Supermicro 8 is designed to optimize price/performance while supporting either 1 user operating standalone, or up to 8 users performing a variety of simultaneous tasks.



Zendex Model 935

Based on the multibus, an industrial computer with considerable expansion capability.

ORIENTATION

Industrial quality, multibus based general purpose computer.

MANUFACTURER

Zendex Corporation 6644 Sierra Lane Dublin, CA 94568 415 828-3000

Zendex is a 3 year old company, established in July of 1979. Annual sales of \$4 to \$6 million. Systems are sold through a national and international repnetwork.

PROCESSOR

8085 CPU. 64KB standard main memory. 64KB maximum main memory.

MASS STORAGE OPTIONS

28" floppies, single-sided, single or double-density, 500KB each. 10MB fixed Winchester hard disk.

DISPLAY CONSOLE

2 RS232 ports are provided for console interface. The system does not come with a console, though an ADDS Viewpoint is available from Zendex.

PRINTER INTERFACE SUPPORT

2 RS232 ports, 1 Centronics printer port, and 1 universal PROM programmer port.

PACKAGING

A steel cabinet that is tabletop or pedestal mounted. The terminal is not included. There are 7 open multibus slots for expansion.





SALES AND SERVICE

Nearest dealer information:

415 828-3000

Standard system for price comparison:

CPU with 64KB memory. 2 floppies (or equivalent). Keyboard and display. CP/M.

Price for the above:

\$7,690.

Guarantee:

1 vear.

System serviced by:

Factory.

VENDOR STATEMENT

The 935 represents a major advancement in business computer systems. By using state of the art components and design techniques, it has reduced the overall physical size of the computer without sacrificing performance or flexibility. The result is a computer system with the functionality of a large computer, packaged in a compact, attractive chassis suitable for use in a medium-sized business.



The Very Best

How to Get Started with CP/M®

Carl Townsend

Are you having trouble understanding the basic operation of CP/M? This book will get you into the essentials in a few easy steps. It describes CP/M in simple, graspable terms, and includes a handy guide on shopping for an operating system, a glossary, a list of hardware manufacturers supporting CP/M, a list of major CP/M software, and a list of CP/M user-groups! ISBN 0-918398-32-0 136 pages \$13.95

Inventory Management for Small Computers

Chuck Atkinson

Do you need an inventory system that helps you cut costs and increase your profit? This control program gives you all the inventory information you need, plus prepares your purchase orders like magic, does your inventory in 1/3 the time, and controls your inventory while printing the sales ticket! ISBN 0-918398-48-7 218 pages \$16.95 Software available

How to Make Money with Your Microcomputer

Carl Townsend and Merl Miller

How about putting that microcomputer of yours to some profitable work? This book will get things off to a flying start with loads of ideas and concrete examples designed to have you making money via your computer in no time.

ISBN 0-918398-74-6 168 pages \$12.95

Nailing Jelly to a Tree

Jerry Willis and William Danley, Jr.

Here is a guide to help you customize software to fit your computer. You are led through the software maze and you'll also learn about machine language and assembly language programming.

ISBN 0-918398-42-8 256 pages \$15.95

From dilithium Press (dp)



	refund if I am not s —— How to Get S with CP/M —— How to Make	satisfied. StartedMoney with omputerM/ISA M/	. \$13.95 . \$12.95 'C	I understand that I may return them for a full Inventory Management for Small Computers\$16.95 Nailing Jelly to a Tree\$15.95 Acct. #
	Exp. date		Signature	
	 I enclose \$ plus \$1 to cover handling and shipping. For faster service, call our toll free number and use your VISA or M/C. 			
dilithium Press P.O. Box 606 Beaverton, OR 97075 800-547-1842		Please send me your free catalog, BRAINFOOD.	ADDRESS	, ZIP

PUBLIC BULLETIN BOARDS


Electronic message systems (pictorially described as computerized bulletin boards — an updated version of the original cork board) exist in the hundreds and can be found throughout this country, Canada and abroad. Since these systems cover a broad spectrum of interests, this column will be oriented to general "points of interest" and CP/M related activities.

Bulletin boards can be an informative and enjoyable extension to your home and office computing activities. Specifically, they provide a means of communication between computer users of similar interests. Most support the ability to leave/receive messages to/from individuals, groups or the general public. Messages range from chitchat, items for sale and philosophical discussions to specific user problems and group participation of concerns and interests.

Bulletin boards also act as repositories for computer programs, documentation and other data to be exchanged. In this respect, some have special interest orientation including: games, specific computers, amateur radio, public domain software, languages, databases and medical.

Numerous bulletin boards are devoted to CP/M. To utilize these systems, some knowledge of CP/M is helpful; however, they generally have HELP instructions and handholding prompts to aid the inexperienced user.

The following dialogue, courtesy of the Yelm, Washington, Computerized Bulletin Board operated by Dave Stanhope, should introduce you to the system's operating procedures and familiarize you with some of its capabilities. As you will note in the dialogue, the immediate logging onto Dave's system places you under control of the RIBBS system. From this vantage point, you may utilize the system's message services or exit to CP/M.



"A.M. to P.M. it's CP/M."

INSTRUCTIONS

HOW MANY NULLS (0-9) DO YOU NEED? 3 CAN YOUR TERMINAL DISPLAY LOWER CASE? Y

On at 12:13:32 August 33, 1982

Please Wait... Yelm, Washington RIBBS...vers 2.2

CP/M is entered with the 'C' function of RIBBS.

System should be up 24-hours a day except when I am using it, in which case it won't answer!!!

Bulletins

1> (8-22-82) Now supporting three disks: A:, B:, and C:. 2> (7-30-82) System no-longer requires <<== CALL-BACK ==>>.

(Frompting bell means system is ready for input).

What is your FIRST name ?cr/m
What is your LAST name ?review
Checking user file...
Where (City,State) are you calling from ?mercer isl, wa
Hello CP/M REVIEW from MERCER ISL, WA
Did I misspell anything ?n
This checking is only done the first time you call.

Bulletins for First-Time Users:

- (1) Lists of other systems available in CP/M on drive B: (SYSTEMS and RCPMLST?)
- (2) If want to implement file transfers on your machine, start by setting MBOOT3.ASM, it's by far the shortest. Get it as an ASCII file by using the "TYPE" command on this system. Assemble it with the appropriate equates, then use it to set one of the more versatile programs such as "MODEM7x". "TYPE DOWNLOAD.DOC" under CP/M for more info.
- (3) If you need any help, or are looking for a specific program, please feel free to ask.

Lossins CP/M REVIEW to disk... Active # of mss's 26. You are caller # 394 Next mss # will be 91

continued on page 64

REMOTE COMPUTING

Function (B,E,R,S,K,G,W,C,U,P,X,Q,Z (or '?' if not known)??

Functions supported:

S--> Scan messages R--> Retrieve message

E--> Enter message K--> Kill message

B--> reture Bulletins W--> reture welcome

C--> exit to CP/M U--> list User file

P--> Prompt (bel) tosl X--> eXpert user mode

Q--> Quick summary G--> Goodbye (signoff)

Z--> Descibe Hardware

Commands may be strung together, separated by semicolons. For example, 'R:123' retrieves message # 123.

Software exchange is done under CP/M using the XMODEM program (for intelligent transfer) or the TYPE command (simple ASCII listing).

Function (B,E,R,S,K,G,W,C,U,F,X,Q,Z (or '?' if not known)?c Please remember to type BYE before hansing up the phone.

To re-enter RIBBS, type: A>RIBBS P

For info on software exchange, type: A>TYPE DOWNLOAD.DOC

For seneral info, type: A>HELP

Entering CP/M...

* END *

AO>help



*** Ctrl-S to Pause, Ctrl-C to Quit. ***

HELP File for the Yelm Software Exchange (07/30/82)

On RIBBS exit you saw the CP/M system prompt, either: A> or B> .

The letter indicates which drive (A: or B: , the system has only 2) is the currently lossed onto drive. The system will look on the current (lossed) drive for commands or filenames. This system will always look for commands on drive A: if can't find on current drive.

To chanse from one disk to the other, type the letter of the disk followed by a colon; i.e.. B: or A: then hit return. This will cause that disk to become the lossed onto disk.

At CP/M System Level You Have the Following Commands Available:

BYE : Terminate session and hanup phone. : Access the Bulletin Board System RIBBS : Allows terminal-terminal talk with sysop (if in). CHAT DIR : Directory display for disk. Usage is DIR or DIR B: : Ambiguous filenames may be used; DIR *.ASM or : DIR BIO*.* or DIR *.DOC or DIR ???TIME.* , etc.. HELP : This is what you are looking at. TYPE : For listing files. Usage is: TYPE filename.typ : File transfer for CF/M users (see THIS-SYS.DOC). XMODEN : This program only works for CP/M users with the : compatible MODEM2 or MODEM7 or similar program. WHATSNEW: Shows which files recently added/deleted. : Los onto the disk you want to check and enter : WHATSNEW

At CP/M system level you may display the Directory of the current drive (A or B) by typing 'DIR' . All files available to you are shown in alphabetical order, showing their filename (1 to 8 characters).filetype(1 to 3 characters). To see the Directory of the other (not lossed onto) 'DIR B:' (for drive B:) the directors for the disk, type drive will be printed. Files that have an extension of .COM are command files, these files are not TYPE-able , they are files that execute a function when the name is typed, sometimes it requires additional information, such as a 'TYPE filename.tsp'; if the function does filename, as need such an argument, the filename specified would have to be on the current (lossed) disk, or a 'NOT FOUND' or 'OPEN FAILED' or some similar negative message might appear. 'TYPE'-able file, use 'TYPE' . To display the contents of a If the file is on the other drive, just type in the letter of the drive before the name of the file. Example:

TYPE A:filename.typ (i.e... TYPE A:MODEM7.DOC)

TYPE B:filename.typ (i.e... TYPE B:RCPMLST9.NEW)

TYPE filename.typ (i.e... TYPE XMODEM39.ASM)

or just switch to the disk as described before.

Other ASCII (TYPE-able) Files Are:

Filename.ASM ;CP/M assembly language source file
Filename.MAC ;CP/M assembly language macro file(needs MAC)
Filename.BAS ;usually Microsoft BASIC source file
Filename.ASC ;senerally BASIC source file(ASC means ASCII)
Filename.DOC ;documentation file for program 'filename'
Filename.TXT ;ASCII text file(could be DOC or BASIC or ?)

An exception to the above is the file with a filetype of .OBJ - This is a command file (.COM) that is renamed to allow download via XMODEM. Like any .COM file, it is not TYPE-able.

Continued on page 66

Continued on page 66

REMOTE COMPUTING

Certain files on this system are stored on the disk in a squeezed format to save space. These files are identified by the fact that there file time will have a 'q' in as the second character. These may be typed using the 'typesq' command. Use the commands "sq" and "usq" on your system to squeeze and un-squeeze files. The can be "xmodemed" in the squeezed format.

A file of phone numbers for other public access computer systems exists on B:. It is 'SYSTEMS'. To set the entire list (approx 160 entries), enter 'TYPE B:SYSTEMS' from prompt A>, and it will be printed.

System Error Handling

If a system error should occur during your operation of it (example: BDOS ERROR ON B: BAD SECTOR), you may be able to recover by "re-booting" the system. Enter Control-C, please notify me of any system crash on RIBBS.COM, if you can recover control of the system, if not hangup.

"Chatting" with the System Operator

If you need the assistance of the System Operator, or just want to "chat", enter as follows:

CHAT<er>

The system will return to normal, in 30 seconds if the system operator is not available...

If you have any suggestions, questions, complaints, etc., feel free to call: David Stanhore, phone 206-458-5905.

*** EN'IOA ***

AO>dir b:

DELETE ARM 8k | MODEM7 LIB 14k DU-V75 AQM 28k | MODEM76 AQM 47k DU-V75 DOC 6k | RCPMLIST206 14k ELIZA BAS 8k | RESOURCEDOC 17k FIGFORTHDOC 8k | RESOURCEOBJ 64 FIGFORTHOBJ 7k | SNOOPY FIC 3kGAMMON BAS 18k | SYSTEMS 11k MBOOT3 8k | USQ-14 ASM OBJ 10k MEM-MAP ASM 4k | ZILCH BAS 8kMODEM7 DOC 16k



Drive B: - 19 Files (24 entries) Ok bytes remaining AO>type download.doc Ctrl-S pauses, Ctrl-C Aborts, Ctrl-X skips to next file

Listing file DOWNLOAD.DOC

File Transfer Procedures

If you want to take full advantage of the file transfer capabilities of this system, it is recommended that you utilize the MODEM.ASM program (from the CP/M User's Group, Volume 25.11) to reliably receive (or transmit) files from (or to) this system. MODEM7 is a later offspring of this program.

Those not having CP/M and/or a MODEM programs can TYPE the file and either print the listing on their printer or use a DATA CAPTURE program to save it in memory and then to disk. If you are running CP/M, but don't yet have the MODEM(MODEM7) program, set a copy of MBOOT3(MBOOT).ASM first. It is much shorter and once you have it, you can use it to set the MODEM(MODEM7).ASM file. MBOOT3 is about 8k bytes where MODEM7 over 40K, not counting the libery file and other files requited to use it.

Receiving Files

Determine first, that you have enough storage on your disk system to receive a file (use STAT<cr> on your system to find out). The directory "DIR" command on this system will tell you how long the file is. Now return to the Remote System, determine which file that you want, and then use XMODEM.COM to command the system to send the file to your system, as shown in the following example:

XMODEM S FILENAME.EXT<or>

The "S" option causes XMODEM.COM to S(end) the file that sou want to receive, "FILENAME" is the file you want, ".EXT" is the file type. Now use Control-E to exit from your MODEM.COM program (was terminal mode) and then enter as follows to command your system to receive the file:

MODEM R FILENAME.EXT<CR>

The "R" ortion commands your MODEM.COM program to R(eceive) the file that the Remote is waiting to send...allow about 15 seconds to get "hooked-up", and you are on your way! When you get a "TRANSFER COMPLETE" message on your console screen, return to the T(erminal) ortion with the MODEM.COM program, press carriage return, and you will again display the CP/M Remote system prompt.

This system will now allow you to send ".COM" files from it, such files that are available are locally renamed to ".OBJ".

continued on page 69

DYNACOMP

Quality CP/M Software MBASIC and CBASIC

GAMES

BRIDGE MASTER

Price: 521.95 Diakette

If you liked DYNACOMP'S BRIDGE 20, you will absolutely love BRIDGE MASTER. BRIDGE MASTER is a comprehensive bridge program designed to provide hours of challenging competition, Bidding features include the Blackwood convention, Stayman convention, pre-emptive openings, and recognition of demand bids and jump-shill responses. After playing a specific hand, you may replay the same hand, wish the option of a vinching early wish by our computer opponents. This feature allows you to compare your bidding and playing skills to BRIDGE MASTER. Bonuse for game contrasts and slams are awarded as in duplicate bridge. Doubled contracts are zeroof based upon a computer assigned volunteability. A store card is finished at the conclusion of each hand. The score card deligiday as summary of total hands played, total points scored, number of contracts made and set, and 6 you made. But DECE 20.5 Tiles a startly the See computer bridge program available.

DYNE and Master and bandling (see ordering information box).

POKER PARTY
POKER PARTY
POKER PARTY be a few pater desulation based on the band. POKER, by Oswald Jacoby. This is the most comprehensive version available for microcomputers. The party consists of yourself and its other (comparing player, is the most comprehensive version available for microcomputers. The party consists of yourself and its other (comparing player) the party competition of the

MANAGEMENT SIMULATOR IN A CEMBERT I SIMULATOR
This program is both an excellent treaching tool as well as a stimulating intellectual game. Based upon similar games played at graduate business schools, each player or seam controls a company which manufactures three products. Each player attempts to outperform his competition by setting selling prices, production volumes, marketing and design expenditures, etc. The most successful firm is the one with the highest stock price when the simulation ends.

PLIGHT SIMULATOR GHT SIMULATOR

A realistic and extensive mathematical simulation of take-off, flight and landing. The program utilizes serodysmic equation and the characteristic of a real sizeful. You can practice instrument approaches and avaigation using radials and compass heading. The more advanced flyer can also perform loops, half-rolls and similar aerobatic measurers. Although this program doe not amploy gaphics, it is exciting and very addictive. See the software review in COMPUTRONICS. Runs in 16 K Atari.

VALDEZ:

VALDEZ is a computer simulation of supertanker navigation in the Prince William Sound/Valdez Narrows region of Alaska.

Included in this simulation is a realistic and extensive 256 x 256 rement map, portions of which may be viewed using the ship's alphanumeric rader display. The moleton of the ship itself is accurately modelide mathematically. The simulation size constain a model for the tall patterns in the region, as well as other traffic cologing instead and officing inchess of Arming outcomes from the Galf of Alaska to Valdez Harbor? See the software reviews in 80 Software Critique and Personal Companing.

CKGAMMON 2.0

This program tests your backgaemen skills and will also improve your game. A human can compete against a computer or against another human. The computer can even play against itself. Either the human or the computer can double or generate disc rolls. Board positions can be created or naved for replay. BACKOAMMON 2.0 plays in accordance with the official rules of backgammon and is serve to provide many fastinating assession of backgammon play.

SPACE EVACUATION:

Can you colonize the galaxy and evacuate the Earth before the sun exploded? Your computer becomes the ship's computer as you explore the universe to relocate million of people. This simulation is particularly interesting as it combines many of the exciting elements of classic space games with the enystery challenge of ADVENTURE.

MONARCH SIR.95 Diakette
MONARCH is a fascinating economic simulation requiring you to survive an 8-year term as your nation's index. You determine
the amoust of acreage devoted to industrial and agricultural use, how much food to distribute to the populace and how much
should be specie on pollution control. You will find that all decisions involve a compromise and that it is not easy to make everyon
happy. Runs in 16K. Azarf.

GO FISH is a chassic children's card game. The opponent is a friendly computer with user imputs that are simple children to easily master. A most for children!

ARBAGE 2.4.

This is the dassib space simulation, but with several new features. For example, the Croylina now shoot at the invited be without warning while also strucking starkers in other quadrants. The Croylina sho attack with both light and heavy crulers and more when shot all The situation is becile when the laviatiols be besinged by three beaty crulars and satthack 5.0.5 is received! The Croylina get even! See the software review in A.N.A.L.O.G., 80 Software Critique and Game Merebandising.

GAMES PACK 1

OAMES PACK 1 contains the classic computer games of BLACKJACK, LUNAR LANDER, CRAPS, HORSERACE,
SWITCH and more. These games have been combined into one large program for ease in loading. They are individually accessed
by a convenient menu. This collection is worth the price just for the DYNACOMP version of BLACKJACK.

GAMES PACK II

GAMES PACK II includes the games CRAZY EIGHTS, JOTTO, ACEY-DUCEY, LIFE, WUMPUS and others. As with

GAMES PACK I, all the games are loaded as one program and are called from a menu. You will particularly enjoy DYNACOMP's vertion of CRAZY EIGHTS.

Why pay \$7.95 or more per program when you can buy a DYNACOMP collection for just \$10.95?

MOON PROBE
This is an extremely challenging "luxer lander" program. The user must drop from orbit to land at a predetermined target on the moon's surface. You control the thrust and orientation of your craft plus direct the rate of dezernt and approach angle. Runs in IGK Atant.

CRANSTON MANOR ADVENTURE

CRANSTON MANOR ADVENTURE uses you into mysterious CRANSTON MANOR where you attempt to gather it reseaurse. Livriling in the manor are wide animals and robots who will not give up the treatures without sight. The nur rooms is greater and the associated descriptions are much more debotate than the current popular series of Advenu granse, making this game that one in its data. Page can be trapped at any time and the stetus stored on diskete.

TYPE 'N' TALK

NYNACOMP is now distributing the new and revolutionary TYPE-N-TALK" (TNT) speech symbolizer from Votran. Simply onnect TNT to your compoter's serial interface, enter tent from the keyboard and bear the words spoken. TNT is the ensistation-regarms speech symbolizer on the market. It uses the least amount of memory and provides the most firstle vocabulary available.

TYPE-'N'-TALK List price \$375. DYNACOMP'S price \$319.95 plus \$5.00 for shipping and handling

MISCELLANEOUS

8¼" Diskettes (soft sectored/ism sectored)
As you might imagine, DYNACOMP purchases diskettes in large quantities and at wholestle prices. We want to pass the awings.

BUSINESS and UTILITIES

PERSONAL FINANCE SYSTEM

PFS is a single diskerts, memoriested system composed of ten different programs. Besides recording your expenses and tax
electricities items, PFS will not and commarize expenses by payee, and display information on expenditure by say of 20 war
defined codes by month or by payee. PFS will even produce monthly har graphs of your expenses by category! This powerful
paskage requires only one disk drive, minimal memory. You can record clearle plus cash expenses to that you can finally see
where your money goes and climinate guess work and tedious hand calculation. PFS has been demonstrated on network (CSS).

TAX OPTIMIZER X OPTIMIZER: 3 an casy-to-use, mens oriented software package which provides a convenient measure for salelyini, The TAX OPTIMIZER is an casy-to-use, mens oriented software package which provides a convenient measure for salelyini, various income as a straige. The program is designed to provide a quick and easy data entry, income as as in computed by allow emboded (regular, income averaging, maximum and atternate emissions must, The user may inmediately observe their task refers or critical financial decisions. TAX OPTIMIZER is to as developing.

ABOUT DYNACOMP

DYNACOMP is a leading distributor of small system software with sales spanning the world (currently in excess of 50 countries). During the past three years we have greatly enlarged the DYNACOMP product line, but have maintained and improved our high level of quality and custom resupport. The schievement in quality is apparent from our many repeat customers and the software retrieval such publications as COMPUTRONICS, 80 Software critique. A.N.A.L.O.G., SoftsAlt, Creative Computing and Kilobaud, DYNA-COMP roftware has also been chosen for demonstration on network television. Dur customer support is as close as your phone. It is always friendly. The staff is highly trained and always willing to discuss products or give advice.

EDUCATION

TEACHERS' AIDE
TEACHERS' AIDE on dats of three basic modules contained in one program. The first module provides addition and sub-traction caretraction of varying levels of difficulty. The second module consists of multiplication problems in which her student may be tested both on the final nawer and irro on the subtotal nawers in the long hand procedure. Several levels of complexity are provided here as well. The third module consists of division problems: one particularly rise feature of the division module its that the long hand division steps can be displayed along with her emainder in order to clearly demonstrate the procedure by which the retunalizer is addrived. Using TEACHER'S AIDE is not metrely a diffusion that the state.

STATISTICS and ENGINEERING

DIGITAL FILTER is a comprehensive data processing program which permits the user to design his own filter function or choose from a memo of filter forms. In the explicit design mode the shape of the frequency transfer function is specified by directly entering points along the desired filter curve. In the menu mode, ideal low pass, high pass and bandpass filters may be appresimated to varying degrees according to the number of points used in the exclusion. The filters may optionally also be smoothed with a Hanning function. In addition, multi-stage flutterworth filters may be selected. Features of DIGITAL FILTER include planting of the data before an dater filtering, as well as display of the chosen filter functions. Also included are convenient data storage, retrieval and editing procedures.

TA SMOUTHER 32.39.9 Dispersion may be used to rapidly derive useful information from noisy business and engineering which are equally spaced. The software features choice in degree and range of fit, as well as amonthed firms and second deri calculation. Also included is surrounded plotting of the input data and monothed results.

FOURIER ANALYZER

Use this program to examine the frequency spectrs of limited duration signals. The program features automatic scaling and plotting of the input data and results. Previous lapplications include the analysis of complicated patterns in such fields as electronics, communications and business.

TFA (Transfer Function Analyzer)
This is a special software package which may be used to evaluate the transfer functions of systems such as 81-fl amplifiers and filters by examining their response to pulsed inpute. TFA is a major modification of FOURIER ANALYZER and contains an expinering-oriented decided versus top-frequency plot as well as date editing features. Whereas FOURIER ANALYZER is designed for detuctional and existing user. For a engineering cold. Available for all computers.

HARMONIC ANALYZER
HARMONIC ANALYZER was designed for the spectrum analysis of reputitive waveforms. Features include data file generation, editing and storage/sertieval as well as data and spectrum plotting. One particularly unique facility is that the input data
need not be equally spaced or in order. The original data is sorted and a cubic spline interpolation is used to create the data file
required by the FFT algorithm.

FOURIER ANALYZER, TFA and HARMONIC ANALYZER may be purchased together for a combined price of \$51.95 (three casettes) and \$63.95 (three diskettes).

REGRESSION I

820.8ESSION I is a unique and exceptionally versatile one-dimensional least squares "polynomial" curve fining program. Features include very high accuracy; an automatic degree determination options an extensive internal library of fining functions date editing, automatic date, curve and residual plotting; a statistical analysis (egs standard deviation, correlation coefficient cit.) and much more. In adultion, ever fils may be tried without reentering the date. REORESSION I in certainly the commentator program is any date analysis activeare library.

GRESSION II

PARAFIT is designed to handle those cases in which the parameters are imbedded (pessibly nonlinearly) in the filling function.
The user simply inserts the functional form, including the parameters (A(I), A(Z), etc.) as one or more BASIC statement hims.
Data, results and residuals may be manipulated and plotted as wish REGRESSION I. Use REGRESSION if for polynomial fitting, and PARAFIT for those complicated functions.

MULTILINEAR REGRESSION (MLR) VALUE AND MEAN MASSUUM (MILK)
MILK is a prolesional software package for analyzing data sets containing two or more linearly independent variables. Bedden performing the besit regression calculation, this program size provides casy to use data entry, storage, retrieval and editing functions. Its addition, the sare may interregate the solution by supplying values for the independent variables. The number of variables and data size is limited only by the available memory.

REGRESSION), If and MULTILINEAR REGRESSION may be purchased together for \$51.95 (three cassettes) or \$63.95

ANOVA

10 the past the ANOVA (analysis of variance) procedure has been limited to the large militareme computers. New DYNACOMP has brought the power of his method to small systems. For those conversant with ANOVA, the DYNACOMP before package includes the 1-way, 2-way and N-way procedures. Also provided are the Yates 2⁵⁶-Factorial designs. For those unfamiliar with ANOVA, not warry. The ecompanying documentation was written in a startful fashion (by a profuser in the subject) and arrees as an excellent introduction to the tablect, a ecompanying ANOVA is a support program for building the data beas, Incheded are revertal convalent features including data selfsing, defenting and appending.

BASIC SCIENTIFIC SUBROUTINES, Volumes 1 and 2
DYNACOM P is the exclusive distributor for the software keyed to the popular texts BASIC SCIENTIFIC SUBROUTINES,
Volumes 1 and 2 by F. Rucketochel (see advertisements in SYTE magazine). These subrouslines have been assembled according
to chapter, Included with each collection is a menu program which selects and demonstrates each subrousine.

Volumes I and 2 by F. Ruckdeschel (see advertisements in BYTE magazine). These subroutines have been assumbled secon to chapter. Included with each collection is a menu program which selects and demonstrates each subroutine. Volume I Vol

BASIC SCIENTIFIC SUBROUTINES, Vol. 1 (319 pages): \$19.95 + 75e postage BASIC SCIENTIFIC SUBROUTINES, Vol. 2 (790 pages): \$23.95 + \$1.50 postage See reviews in K1LOBAUD and Dr. Dobbi

ORDERING INFORMATION

All orders are processed and shipped within 48 hours. Please eaclose payment with order and include the appropriate computer in-formation. If paying by VISA or Master Card, include all numbers on eard. Purchase orders accepted.

Delivery
All orders (excluding books) are sent First Class.

Quantity Discounts
Deduct 10% when ordering 3 or more programs; 20% when ordering 5 or more. Dealer discount achedu

DYNACOMP, Inc. Dept. 0 1427 Monroe Avenue

Rochester, New York 14618 24 hour message and order phone: (716) 442-8731 Toll free order phones: (800) 828-6772 (800) 828-6773

Office phone (9AM-5PM EST): (716) 442-8960 New York State residents please add 7% NYS sales tax



VISA

REMOTE COMPUTING

Sending Files

The Remote System can also receive files with XMODEM.COM, as follows:

XMODEM R FILENAME.EXT<or>

This commands XMODEM.COM to wait to receive a file from you, exit your MODEM.COM program (Control-E), then enter:

MODEM S FILENAME.EXT<cr>

Do not attempt to send files of type ".COM", as the Remote System will abort receiving them...rename them to ".OBJ" and then send...

A0><u>bse</u>


From Dave: So-long, please call again...

Off at 12:40:35 August 33, 1982

RCPM LISTINGS

The following is a list (courtesy of Kelly Smith, operator of the CP/Net located in Simi Valley, California) of CP/M bulletin boards available around the country by region. It provides a description of each system including operating hours, storage capacity and any unique characteristics such as special interests.

Remote CP/M Software Exchange Systems, List No. 26 Last Revised June 20th, 1982



Ben, Jud, & Kelly will attempt to coordinate updates to the RCPMLIST as they occur...

List No. 26 Revised and Updated Courtesy of: Mississausa RCPM and Hyde Park RCPM

Revision Summary as of June 20, 1982:

Note: [% = data chansed since RCPMLIST.25a, 05/08/82] [> = data chansed since RCPMLIST.25, 05/07/82]

continued on page 71



DATA COMMUNICATIONS EVERYONE CAN AFFORD!

INTERNATIONAL SOFTWARE ALLIANCE IS PROVIDING THIS PROMOTIONAL OFFER TO END USERS BECAUSE WE BELIEVE THAT WHEN YOU USE **E-LYNC** YOU WILL BE SO PLEASED WITH THE EASE OF OPERATION THAT YOU'LL WANT TO ORDER OUR FULL FEATURED VERSION **LYNC**. **E-LYNC** WORKS JUST LIKE **LYNC** BUT DOESN'T HAVE ALL THE ADVANCED FEATURES OF **LYNC**.

E-LYNC is a powerful data communications program that can be used to transfer data or program files between computers or to connect to time-sharing systems. **E-LYNC** allows you to transfer any and all types of files from CP/M to CP/M, CP/M to IBM PC DOS, or IBM PC DOS to IBM PC DOS. **E-LYNC** will support baud rates up to 9600 on a cable hook up.

[E-LYNC] MODE: Can transfer data or program files between CP/M systems, between PC DOS systems, and between an IBM PC and a CP/M system running E-LYNC or LYNC. When transferring files E-LYNC uses field proven error detection and re-try protocol, sure to get your files across noisy phone lines or temporary disconnections. When in [LYNC] mode, both computer operators are in an immediate message mode and may type messages back and forth.

[E-TERM]INAL MODE: Terminal mode will allow you to connect your computer with time-sharing systems such as Source, Micronet, or CompuServe.

LYNC The full featured version is offered at \$125 and includes all of the features of E-LYNC plus:

[LYNC] MODE: Fetch files from another computer system; Use wild card names in send and fetch routines; View local and remote directories; Log onto local and remote drives.

[TERM]INAL MODE: The terminal mode in the full featured version of LYNC will allow you to buffer incoming data to the capacity of your memory and write the data to disk. Additional features of the terminal mode include: Send files to time share systems; Receive files from time share systems; Send files to other computers not running LYNC; Load files from other computers not running LYNC; Choice of full duplex or half duplex mode; plus other features.

LICENSING: E-LYNC is licensed on a per user basis. If you intend to use E-LYNC to communicate with another person, they must also purchase E-LYNC. E-LYNC for the IMB PC is written in 8088 Assembly Language. If you intend to communicate with a CP/M system you will also need the CP/M version of E-LYNC. ISA has both versions of E-LYNC available. E-LYNC can be upgraded to LYNC for \$95.

TERMS: Money Order, Check, C.O.D., MC or VISA. First Class Postage included. UPS Blue add \$2. C.O.D. add \$3. California Res. add 6%. Overseas add \$5.

DISK FORMATS: 8" Standard, 5" Vector Graphic, IBM PC DOS, TRS 80 Mod II w/CP/M, North Star, Cromenco, Superbrain 3.0 DOS or later.

PHONE ORDER DESK: (805) 966-3077 10am to 2pm PST Monday-Friday. ISA IS NOW ACCEPTING PROGRAMS FROM SOFTWARE AUTHORS



INTERNATIONAL SOFTWARE ALLIANCE

1835 MISSION RIDGE SANTA BARBARA, CA 93103

E-LYNC, LYNC are trademarks of Midnight Software

CP/M is a trademark of Digital Research

IBM PC DOS is a trademark of IBM

Northeast

MISSISSAUGA ONTARIO RCP/M, (416) 826-5394, Jud Newell. 24 hrs.110,300,450,600,710, 1200 baud. No A.L.D.S. Up as of 06/20/82. 20Mb hard disc now on line 24 hrs/day. [Toronto] Special Interest in New and New Releases of Software. System supports extensive HELP files and Software DATABASE.

MISSISSAUGA ONTARIO HUG-RCP/M, (416) 273-3011, Toronto Heath Users Group. 1800-0600 wkdys, 24 hrs wkends. 110,300,450,600,710 baud, No A.L.D.S. Up as of 06/20/82. 24 Mb of files on 5 drives. [Toronto]

Hamilton Area Packet Radio Network (HAPN), 416-335-6620, Stu Beal. 24 hours. 110,300,450,600,710 baud. No A.L.D.S. Up as of 06/20/82. @? K files on line [Hamilton, Ontario] \$ System now running as a CNODE in Eastern Canada.

Johnson City, NY SJBBS, 607-797-6416, Charles ---. No call back. Eves., etc. 300 baud. No alternative long-distance service. Up as of 05/07/82. @ 2 Mb of files on 2 drives.[Upstate New York]

SuperBrain RCPM, 617-862-0781, Paul Kelly. 1900-0700 wkdys, 24 hrs wkends. 110, 300, % 1200 baud. SPRINT, ITT, MCI. Up as of 03/20/82. @ 300 K files on-line. ELexington, MA: Boston areal

(Special interest in Superbrain-adapted CF/M programs)

Rochester RBBS, 716-223-1100, Arnie McGall. No call back. 24 hrs. 110 % 300 baud. SFRINT, MCI, ITT. Up as of 05/31/82. @1.8 Mb of files on 3 drives. [Upstate New York] (S-100 based. General CP/M software. The standard RBBS/RCPM system coexists with a separate passworded message system called Datastar, which can be entered from CP/M but runs on a separate computer. 600 baud capability expected soon)

Bearsville Town SJBBS, 914-679-6559, Hank Szyszka. No call back. 110,300,450,600,710 baud. No a.l.d.s. Up as of 03/21/82. @ 2MB of files on 4 drives. [Upstate New York]. (Installing MP/M. All CPMUG programs available by request. General CP/M software)

THE ART OF THE PART OF THE PAR


East Central

Flanders, N.J. 201-584-9227, Ken Stritzel. No Call Back. 24 hours, 110,300,450,600,710 baud. SPRINT,MCI. Up as of 03/10/82. @ 500 k on 2 drives.[Northern New Jersew]

Paul Bosdanovich's RBBS, 201-747-7301. No call back. 1800-2300 wkdys & 0800-2300 wkends. 300 baud. a.l.d.s. accessibility & disk capacity not known. Up as of 05/03/82. [New Jersey] > NEW SYSTEM. Further data needed.

HANG ON TO YOUR RESET BUTTON HERE'S CP/M REVIEW

Just in time to put you in control of your holiday gift list.



Remote CP/M and Bulletin Board System of Cranford, New Jersey 201-272-1874, Bruce Ratoff, Eves., etc. No call back. 110,300, 450 % 600 baud. SPRINT, MCI. Up as of 06/20/82. 2-3 Mb of files on 3 drives. Bulletin Board of SIG/M Group [New Jersey]

(General CF/M software; active also as a bulletin board)

Allentown RBBS/RCPM System, 215-398-3937, Bill Earnest. 24 hrs. No call back. 110, 300, 450, 600, 710 baud. SPRINT & ITT. Up as of 06/20/82. @ 10. Mb. of files on hard disk (=4 logical disks). [E.Pennsylvania]

(General CP/M software. Bulletin board of the Lehish Valley Computer Club and SIG/M Group)

Bethesda, Md. RCP/M, 301-229-3196, John Labovitz, no call back. 2300-1500 weekdays, 2300-900 weekends. SFRINT, MCI and 300,450 baud. @2.4mb on line including most of 'C' users group stuff. Up as of 06/20/82.

% NEW SYSTEM. Special Interest in 'C' programs. Most of 'C' % users group programs are available.

Laurel, Md RCPM/RBBS, 301-953-3753, Wayne Hammerly, No call back. 24 hours. No A.L.D.S. 2 drives with 600k capacity now on line. PMMI on order, currently running at 300 baud only. Up as of 06/20/82

RLF RCF/M, McLean Va, 703-524-2549, Bob Plouffe, N Call back. 24 hours. SPRINT & MCI. 4 (N*) Drives with 640kb of files. Running CBBS for messages. Up as of 06/18/82

% Phone Number corrected. Note correct number is 703-524-2549 25 No. 102 CHA DIT THE CASE SHAW FALL FOR THE SHAW FOR TH

Arlington RCF/My Va. 703-536-3769, Eliot Ramey. No call back. 2300-1500 weekdays, 2300-1000 weekends. SPRINT, MCI, ITT. 110-710 baud. @ 700 k files. Up as of 04/09/82. [D.C. area] + New System. Main interest in universally usable files and

- + Northstar. Sysop not interested in Osborn, Heath, Apple and + TRS files.
- > Runs at PMMI baud rates.

Grafton, Va. RBBS, 804-898-7493, Dave Holmes. No call back. 24 hrs. 300 baud. No a.l.d.s.? @ 200 K of files on 2 drives. Up as of 06/20/82. (Tidewater Va.)

20 AND SECOND CONTROL OF SECON

(Carries CP/M, TRS-80 & Apple software; plans for setting up a dual system (on one line) with an LNW-80 as well as the CP/M computer. Active as bulletin board)

State College, Fa. CUG-NODE, 814-238-4857, Joe Shannon. No call back. 24 hours. 300 baud on losin, then FMMI baud rates. No a.l.d.s.? @ 3 mb of files on 3 drives. Up as of 05/08/82. [Pennsylvania]

- + New System . Runs C-NODE software, with UNIX-like commands
- > (type 'cat commands' after reaching the '%' prompt) and file > xfer programs called 'send' & 'rcv' which are MODEM/XMODEM
- > compatible. Only BDS- and other C s'ware for downloadins;

> no mss system.

CLUBS AND USER GROUPS



As a public service, CP/M REVIEW will print notices of club activities. Send copy to CP/M REVIEW. Please include contact name and telephone number.

★ ★ FEATURING 8 and 16 BIT S-100 SYSTEMS ★ ★

WE OFFER A WIDE RANGE OF CRTs, PRINTERS, GRAPHICS EQUIPMENT, SOFT-WARE FOR ALL SYSTEMS. EACH SYSTEM COMPLETELY TESTED, INTEGRATED, READY FOR PLUG-IN OPERATION WHEN YOU RECEIVE IT. WE TAILOR & CONFIGURE SYSTEMS TO MEET YOUR BUDGET AND NEEDS. WE CUSTOMIZE SOFT-WARE TO YOUR SPECS. WE WELCOME YOUR REQUEST FOR TECHNICAL INFO BY PHONE OR LETTER.

IMS 2 yr. warranty on boards! SX systems w/8" or 5¼" drives, optional 10, 20, or 40 MB Winchesters, built-in tape back-up, Z-80 S-100 bus. On site service for NY quad-state area.

MULTI-USER IMS: MPU/slave cards give each user own CPU, 64K RAM, 2 serial ports.

TURBODOS: Single or multi-user. Spectacularly FAST CP/M° compatible Operating System. Cuts link/edit time in half. Z80 Code interrupt driven. Up to 6X faster than CP/M; up to 35% increased disk capacity. For IMS, CCS, NorthStar. New version supports up to 65000 stations, 16 users per station. Each user can have floppies.

CALIFORNIA COMPUTER SYSTEMS 2210A High quality, low price. Z80 CPU, 1 serial port, disk controller w/CP/M2.264K RAM\$1,775. Add our Max Box w/dual Shugarts and IMS I/O w/2 serial, 1 parallel.

GODBOUT/CROMEMCO/SYSTEMS GROUP: Complete product lines at discount prices.

MAX BOX DISK DRIVE SUBSYSTEM mfg by John D. Owens Assoc. Dual drive cabinet w/regulated power supply, fan, complete internal cabling. Will hold Shugarts, Qumes, Tandons and/or 8" Winchester, horizontally mounted. Excellent design and engineering. 17½ x 5½ x 22. Attractive buff color.

W/2 Shugart 801 \$1,275 W/2 QUME DT-8 dble sided drives \$1,605.

Prices subject to change without notice

Write or call for free catalogue

JOHN D. OWENS Associates, Inc.

12 Schubert Street, Staten Island, New York 10305 212 448-6283 212 448-2913 212 448-6298

CP/M Software

UNERA

Recovers all ERAsed Files for CP/M 2.2 Floppy and Hard Disk Systems with standard directories. Also CP/M 1.4 with 8" Single Density Directory. Includes patching information for CP/M 1.4 Double Density...\$75.00

FORMS-3

Microsoft programs for filling out forms. Features field editing, justification, multipages, required entry. Can also use a separate data file\$40.00

SUPERFILE

Solves your filing problems. Menu driven information retrieval system for storing and quickly finding information. Features AND, OR and NOT in search command. Sort, merge and split utilities included. Build data base with any CP/M Editor.

with Demo Data Base & Manual \$195 Manual only (applies to purchase) \$50

CP/MUG.DB

Data base of catalogs and abstracts of 80+ disks from the CP/M users group library. Use with Superfile.

Superfile and CP/MUG.DB ...\$210.00
AVAILABLE 8" SINGLE DENSITY, NORTH STAR
SINGLE AND DOUBLE DENSITY.

ADD \$1.50 SHIPPING AND HANDLING



24000 Bessemer Street Woodland Hills, CA 91367 (213) 348-4278

PUBLISHERS:

TES INC.

CP/M REVIEW intends to establish a book review section. If you would like your book featured, please send a complimentary copy to our book review department.

ISIS ←→ CP/M®

Full bi-directional file transfer capabilities are provided in the ISIS-CP/M utilities package. Written in machine language and running under CP/M, these utilities permit the CP/M user to read or write files direct to/from an ISIS Diskette. They will run under any version of CP/M without regard to diskette density. The complete package is \$250.00 including user's manual. Write for free brochure on other CP/M software.

CP.M is a registered trademark of Digital Research ISIS is a trademark of Intel Corporation



Midwest

Geneseo, Ill, 309-944-5455, Richard Blessing, call back. 0700-1700. 110,300,450,600,710 baud, No ALDS. Up as of 04/22/82. @ 500 k on two drives.

\$ Temporarily Down as SYSOP is moving. Will be back up with a \$ new phonenumber.

IBM-PC BBS, 312-647-7636, Gene Plantz. No call back. 1800-0700 wkdys & 24 hrs wkends. 300 & 1200 baud. SPRINT, MCI, ITT. Up as of 05/26/82. @ 200 K of files. [Niles: Chicaso area]

NEW SYSTEM. Run for members of ACPU. Access to operating > system requires password -- contact sysop. Bell 212A freqs > at 1200 baud.

AIMS, Hinsdale, Ill. 312-789-0499, Mark Pulver. No call back. Eves. & ? 300 baud. SPRINT, MCI, ITT. @ 10 mb of files on hard disk. Up as of 04/28/82. [Chicaso area]

NEI RCPM System, 312-949-6189, Chuck Witbeck. No call back. 1800-0100 wkdys, 1200-0100 wkends. 300,450,600,710 baud. MCI, SPRINT, ITT. Up as of 05/04/82. @ 2 Mb of files on 2 drives. [Chicago area]

(Main emphasis is on communications programs, including versions adapted to non-standard CP/M systems)

Hyde Park RCPM/RBBS, 312-955-4493, Ben Bronson. No call back. 0100-1700 dails. 110, 300, 450, 600, 710 baud. SPRINT, ITT,MCI. Up as of 06/20/82. @ 2 Mb of files on 2 drives. EChicasol

(Special interest in hard- % software reviews, C pross, and very recent releases of standard prosrams)

Losan Square RCPM, 312-252-2136, Earl Bockenfeld. No call back. 0100-1900 wkdss, irres. on wkends. 110, 300, 450, 600,710 baud. SPRINT, ITT, MCI. Up as of 06/15/82. @ 1 Mb of files on 2 drives. [Chicaso]

(Special interest in recent releases and developing on-line databases, with daily change of software on B drive)

HUG-CBBS, 312-671-4992, Paul Mayer & Dave Leonard. No call back. 2300-1900, 7 dys/wk. 300 baud. SPRINT, ITT, MCI. Up as of 04/03/82. @ 2 Mb of files on 2 drives. [Chicago]

(H-89 based, operated for the Heath-Zenith Users' Group and with a special interest in H19- & H89-adapted (as well as seneral CP/M) software)

Palatine RCPM, 312-359-8080, Tim Cannon. No call back. 1800-0600 wkdys, 24 hours weekends. 300 % 1200 baud. SPRINT, MCI,ITT. Up as of 05/31/82.0 850 K of files on 4 drives. (With a Bell-mode 212A 1200 baud modem. [Chicaso]

Westland, Michigan RBBS/RCPM, 313-729-1905, Ron Fowler. Call back. 24 hrs. 110, 300, 450 & 600 baud. SPRINT, MCI, ITT.

Up as of 06/01/82. @ 1.4 Mb. of files on 2 drives. [Detroit]

(Emphasis on very recent releases)

Technical CBBS, 313-846-6127, Dave Hards. No call back. 24 hrs. 110, 300, 450 & 600 baud. ITT, SPRINT, MCI. Up as of 06/20/82. @ 3 Mb of files on 3 drives. [Detroit area]

(Emphasis on very recent releases. RCPM sysops desiring access to the passworded RCPM Clearing House system should leave a msg on TCBBS. Active message system)

Royal Oak CP/M, 313-759-6569, Keith Petersen. Call back. 24 hrs. 110, 300, 450, 600, baud. 1200 baud modem now available on request. Use CHAT or leave a message if you want the 212A switched in. ITT, SPRINT, MCI. Up as of 06/20/82. @ 600 K on 2 floppy drives + 10 Mb on hard disk (=2 logical drives). [Detroit area]

(Emphasis on new programs & recent updates of standard progs.

Pontiac, Mi. RBBS/RCPM, 313-338-8505, Larry Breaux, 2pm-midnisht, ? Baud, ? ALDS, ? File Storage. Up as of 04/08/82.

Southfield, Mi, RBBS/RCPM, 313-559-5326, Howard Booker. No callback. 24 hrs. 300, 450 baud. ITT, SPRINT, MCI. Up as of 06/20/82. @ 1 Mb on 2 drives. [Michigan]

(Special interest in file directories & catalogs of other RCPM systems as well as general s'ware)

Fort Fone File Folder, 414-563-7442, Al Jewer, Shawn Everson. No Call Back. 24 hours. 110-710 baud. ALDS ?. Up as of 5/12/82. @1.1 mb on two drives.

NEW SYSTEM. Specializing in MP/M, CF/NET and BDSC programs.
 6mb Corvus Drive expected shortly.

Columbus CBBS, 614-272-2227 [268-CBBS], John Walpole. No call back. 24 hrs. 110-600 baud. SPRINT, ITT, (MCI?). Up as of 05/07/82. @ 300 K of files on 3 drives. [Ohio]

(Now running MP/M, on a Tarbell SD controller; occasional slow response means the system; special interest in BDS-C programs. Also active as a bulletin board)

Mission, Ka, 913-362-9583, Dave Kobets. No Call Back. 24 Hours. 300,1200 Baud 212A Standard. ALDS?. Up as of 5/31/82. @ 2mes of files on 2 drives. [Kansas]

\$ NEW SYSTEM. Running \$eath H89, DD/DS drives, with high speed \$ access.

South

NACS/UAH RBBS/RCPM, 205-895-6749, Don Wilkes. Call back.24 hrs. 110, 300, 450, 600 baud. No a.l.d.s. Up as of 06/20/82. @ 700 K of files on 4 drives. [Huntsville, Alabama] (Run for N. Ala. Computer Soc. at U. of Ala.; seneral CP/M software)

California

Pasadena CBBS, 213-799-1632, Dick Mead. No call back. 24hrs. 110-600+ baud. ITT, SPRINT, MCI. Up as of 06/20/82. @ 1.5 Mb of files on 2 floppies & 8.3 Mb on hard disk. All data now on hard disk. ELos Anseles areal

(Also active as bulletin board. General CP/M software)

44 M. A. 100 M. A. 100 A. 100 M. A.

G.F.R.N.Data Exchange [RBBS], 213-541-2503, Skip Hansen. 24 hrs. 300 & 1200 baud. SPRINT, MCI, ITT. Up as of 06/01/82. 2.4 Mb of files on 2 drives. [Palos Verdes, S. Cal.] (Standard CP/M s'ware with special interest in ham radio-related programs. Soon (with MP/M) will also be reachable thru 450 mhz radio. Note the 1200 baud capability)

Silicon Valley, Ca.RCF/M, 408-246-5014, Dave Carroll. No Call Back. 24 hours. 110,300,450,600,710 baud. No ALDS. Up as of 04/11/82. @1.2mb on 2 floppies. [Santa Clara, SF Bay Area]

San Jose Oxsate, 408-287-5901, Paul Traina. No call back. 1745-0800 wkdys, 24 hrs wkends. 300 baud. SPRINT, MCI, ITT. Up as of 05/01/82. @ 2.4 mb of files on 3 drives. ESF Bay Areal > Formerly Siliconia RCPM, inadvertently dropped from this list > due to the name change. Networked with other systems using > the Oxsate software.

Collossal Oxsate, 408-263-2588, Mel Kruts. Call back. Hours & other info not known. Up as of 05/01/82.

> NEW SYSTEM. Part of Oxdate network. This 'Collossal' has 2 > ells.

Piconet Oxsate, 415-965-4097, Byron McKay. No call back. 24 hrs. 110-710 baud. SPRINT, MCI, ITT. Up as of 05/07/82. @ 2 mb on 2 drives. [SF Bay Area]

NEW SYSTEM. Fart of Oxsate network. Sponsored by Piconet
> CPM Interest Group.

RBBS of Marin County, 415-383-0473, Jim Ayers. No call back.Eves & nites wkdys, 24 hrs wkends. 110, 300, 450, 600 baud. SPRINT, ITT, MCI. Up as of 03/10/82. @ 1000 K of files on 2 drives. ESF Bay Areal


(S-100 [IMSAI] based. 24-hour operation expected soon)

Application for the property of the property o

Larkspur RBBS/RCPM, 415-461-7726, Jim C. No call back. 24 hrs.110,300,450,600,710 baud. SPRINT, ITT, MCI. Up as of 06/10/82. 2+ Mb on 2 drives. [San Francisco area] The system carries seneral & new CP/M software)

G.F.R.N Data Exchanse [RBBS] Garden Grove, 714-534-1547, Doug Laing, 24 Hours, 300 and 1200 Baud, 5. mb of files on 6 drives, up as of 06/01/82. special interest in amateur radio

and apple/cpm software, also seneral interest CP/M. This is the second G.F.R.N system. {Garden Grove, Californial



PLMX AND CP/M TOGETHER SOLVE YOUR SOFTWARE PUZZLE

Are you puzzled about developing PL/M software on a CP/M system? PLMX is your missing piece. This flexible cross-compiler generates code for the 8080/8085, Z-80, 1802 and 6800/6802 microprocessors under CP/M and its derivative operating systems.

PLMX implements the structured syntax of PL/M, producing assembly language source files as output. By supporting global variables and procedure names, PLMX modules can be integrated with assembly language source code or linked with other language object codes. So, new programs can be tied in with any existing programs. And, because PLMX separates ROM and RAM areas, it is ideal for ROM-based applications.

PLMX offers the features you are looking for in a software development tool: flexibility, portability, better program organization, versatility, more effective management on large programming jobs, shorter programming time. So protect your software investment by contacting Roger Carlson, TODAY. He'll tell you all about PLMX.



San Dieso RCPM, 714-271-5615, Brian Kantor. No call back. 24 hrs. 300 & 1200 baud. ITT, SPRINT, MCI. Up as of 05/01/82. @ 2.4 Mb of files on 2 drives.

were state of the state of the

CP/M-Net (tm), (805) 527-9321, Kelly Smith. 1900-2300 (PST) Mon-Fri, 1900 Fri to 0700 Mon. 110-600+ baud. No alternative long-distance service. Up as of 06/17/82 with 20 Mb of files on 2 hard disks (=8 logical disks). [S. California, Bakersfield].

(System now includes SIG/M Vol. 1-10 = E:, SIG/M Vol. 11-20 =F:, SIG/M Vol. 21-25 = G:. XMODEM 'DISKMENU.DOC' for entire system directory (over 2100 files NOW available!).

Thousand Oaks RBBS, 805-496-9522, Trevor Marshall. No Call Back. 24 hours, initally sporadic. 300 baud only. No ALDS. Up as of 04/14/82. @ 2mb on two floppies.

Sacramento CBBS/RCPM, 916-483-8718, Sacramento Microcomputer Users Group. No call back. 24 hours a day. 110,300,450,600,710 baud. SPRINT. 700K+ Files on two drives. (expansion planned to 1.5m). Up as of 03/20/82. Joe Bersin, Don Bozarth, John Moorhead, & Bob Ress Sysops, ESacramento, CAJ

(S-100 based, with special interest in CP/M; disks will change bi-monthly)

Southwest

Boulder Colorado RCFM, 303-499-9169, Jack Riles. No call back. 1900-2230 weekdays, 1200-2230 weekends. 110,300,450,600,710 baud. No A.L.D.S. Up as of 6/20/82. 32mb hard disk on line at all times. [Boulder, Colorado]

Denver CUG-NODE, 303-781-4937. No call back. 24 hrs. 61-710 baud. SPRINT (% MCI, ITT?). Up as of 06/10/82. @ 1 mb on 2 drives (?)

> NEW SYSTEM, sponsored by (BDS) C Users' Group. For info on > use & s'ware see the State College Pa. CUG-NODE entry above.

Northwest

Yelm RBBS & CP/M, 206-458-3086, Dave Stanhope. Call back. 24 hrs. 300 baud. No a.l.d.s. Up as of 05/07/82. @ 250 K of files on 2 drives. [Olympia, Washington]

Chuck Forsberg's RCPM, 503,621-3193, No call back. 24 hours. 300/1200 baud. SPRINT. Up as of 06/01/82. @? Files on line. [Oreson]

\$ Now can be reached with SPRINT.

Surrey RBBS/RCFM, 604-584-2643. No call back. 24 hrs. No a.l. d.s. Disk capacity not known. Up as of 05/05/82 [Vancouver, BC] > System missed in earlier RCPMLISTs. General CP/M software.

Fros Hollow CBBS/RCPM, 604-873-4007, David Bowerman. No call back. 24 hrs. 100-710 baud. 1.2 mb on 2 drives. Up as of 05/05/82. [Vancouver, BC]

- > System missed in earlier RCPMLISTs. General CP/Ms'ware; SIG-> M & CPMUG s'ware available by request. Current trial project
- > requiring use of 100 baud ends 05/08; system may then force
- > use at => 300 baud.

General North America

CP-MIG. On MicroNet, type 'RSIGS (CP-MIG)'. Sysops Dave Kozinn, Tom Jorgenson & Charlie Strom are arranging to have MN carry much of the new CPMUG and SIG/M software, plus a newsletter and a CP/M-oriented CBBS.

Overseas

Paul Taylor's Remote Computer and RBBS, Australian local; 09 459 3787, Faul Taylor. Available most Australian evenings. Manual connection only, requires CCITT 300 Baud modem in ANSWER or ORIGINATE mode for access. Running IOS (CP/M compatible), 64K Z80, 5Mhz system @ 2MB on 2 8° disks with 48K CACHE buffers. Up as of 12/01/81. [Perth, Western Australia].

SYSTEMS WITH WHICH NO CONTACT HAS BEEN REPORTED SINCE 2/82. These are presumed to be down, but additional information is needed.

Brewster RBBS, 914-279-5693, Paul Bosshold & Carl Erhorn. Call Back at all times. 9pm-8am Weekdays, 24 hour weekends. 300,450, 600, 710 baud. No a.l.d.s. Up as of 02/28/82. @ 500 K of files on 1 drive. [Downstate New York] (S-100 based. General CP/M software)

MINICBBS/Sorcerer's Apprentice Group, 313-535-9186, Bob Haseman, Call back. 24 hrs. 110, 300, 450, 600 baud. ITT, SPRINT, MCI. Up as of 02/27/82. @ 500 K on 2 drives. [Michigan]

(Running on an Exidy Sorcerer. Needs password, "SORCERER". Special interest in adapting CP/M software and assorted hardware to Sorcerer systems)

Louisville RBBS/RCPM, 502-245-7811, Mike Jung. No call back. 0900-2100 wkdys, 24 hrs wkends. 300 baud. SPRINT, MCI. Up as of 02/20/82. @ 2.5 Mb. of files on 5 drives. [Kentucky] (Heath/Zenith-based. Emphasisis on BASIC software. Some HDOS stuff available for downloading)

Torrance RCPM, 213-549-9296, Dan Lopez or Alex Valdez. Call back? 1900-2300. 300 baud. ITT, SPRINT, MCI. Up as of 08/20/81. @ 500 K of files (on 2 drives?). [Los Angeles area] (RBBS & other RCPM system software available. Hours increased to 4 per day and maybe more.)

Granada Ensineerins RCP/M, 213-360-5053, Webber Hall. No Callback. ? Hours. 300 baud. SPRINT, MCI. @1 mb on two drives. Up as of 02/21/82.

% New SYSTEM. Special interest in online BASIC sames.

Notes:

- 1. Whether a program exchange system is accessible by an a.l.d.s.(=alternative long-distance service) should be considered when planning to modem over long programs. Charges on SPRINT, ITT/CITYCALL and MCI are 50-60% of Ma Bell's regular long distance rates.
- 2. Call-back systems are those where a computer and real people share the same telephone line. To contact the people, just dial & let the phone ring until you get an answer. To contact the computer: (1) dial, (2) let the phone ring once, (3) hang up just before the 2nd ring, & (4) re-dial.
- 3. Note that the 212A/Vadic 1200 Baud modems may not be compatable with yours. Most of the above systems are using Vadic 3451 Triple modems, compatable with both Bell and Vadic Standard. Sign on the first time at 300 baud to determine the system capabilities. Note also that PMMI's can sometimes be used above 300 baud with 1200 baud systems.
- 4. All times listed are local time.
- 5. For further notes & explanations, see RCPMDATA.17

A0>

KAYCOMP II \$1,795

Z-80, 64K, 9" Monitor
Dual Double Density Drives
Includes — CPM — MBASIC
Select Word Processor and
Business Spread Sheet

ATARI 小 \$279

ATARI 400 PACMAN CARTRIDGE ONE JOY STICK

SALE \$279





Mail and Phone Orders Accepted

CREATIVE COMPUTERS 1415 W. Meeker, Kent WA, 98032 TELEPHONE: 206 854-7629 MON-SAT 11AM TO 8PM

"RADAR" CP/M® DATA ENTRY

Key-to-disk data entry system featuring;

- · 3741 or keypunch replacement
- · check digit verification
- · table lookup
- · date verification
- high speed operator never waits!
- · table driven no programming
- · verify mode a la 3741
- · reverse key verify
- 16 accumulators
- · record and field oriented
- · retrieval by position or content
- · elaborate input verification
- · auto dup/manual dup
- · back-tab for corrections any time

For more information about RADAR contact: SOUTHERN



COMPUTER SYSTEMS, INC. P.O. Box 3373A

P.O. Box 3373A Birmingham, AL 35255 (205) 933-1659

CPM is a registered trademark of Digital Research

What TECO* does for minis, TED will do for your micro.

TED shares all the major features that make TECO* such a powerful text editor:

Sophisticated macros

Conditional & iterative command execution Conditional & absolute branching 43 Q-registers

35-entry push-down stack You'll also find some elegant enhancements among TED's 120-plus commands. These include selectable editing buffer, easier macro handling and hexadecimal processing.

> TED and user manual \$150 Manual alone \$20

TED's compatible with Z-80*-based systems supporting standard CP/M*. We recommend at least 24K bytes RAM. Please specify diskette format.

SEND FOR FREE COMMAND SUMMARY

small system design

P.O. BOX 4546 MANCHESTER, NEW HAMPSHIRE 03108 TELEPHONE: 603-432-7929

*TECO® Digital Equipment Corp.; Z-80® Zilog Inc.; CP/M® Digital Research Inc.

LIST OF ADVERTISERS

ADVERTISER PAG	ADVERTISER PAGE
Avocet Systems Inc	Lico Associates (A Dagar Affiliated Co.) 22 Martin Data Systems 16 Orthocode Corp. 17 Owens Associates, Inc. 74 Pickles & Trout 82 Quasar Data Products Inside back cover Relational Systems International 11 Ryan-McFarland Corp. 15 Small System Design 82 Softronics 8 Southern Computer Systems, Inc. 74,82 SPC Technologies, Inc. 23 Syscon Corp. 78 TeleVideo Systems, Inc. 3 The TRS-80 Users Journal 83
Kent Video & Computers	Unicorn Systems13

PASS

MOD II CP/M® IQ QUIZ

FAIL

Does your TRS-80 Mod II:

Yes	No	
		give you access to hundreds of
		applications programs?
		give you a choice of a dozen or more
		languages?
		transfer files from TRSDOS to CPM?
		store 596 K bytes on a floppy disk?
		talk to a Cameo cartridge disk system?
		talk to a Corvus Winchester disk system?
		support XON/XOFF, ETX/ACK and
		clear-to-send serial printer protocols?
		talk to double sided floppy drives?
		run the best documented, best supported
		CP/M available?

If you answered no to any of these questions, raise your Mod II's IQ with

P&T CP/M® 2

Contact us, and we'll send you details on how to expand your Mod II's horizons.




Price \$185 for standard P&T CP/M[®] 2; \$250 for P&T CP/M[®] 2 for Corvus or Cameo hard disk drives. (FOB Goleta)

PICKLES & TROUT

P. O. BOX 1206, GOLETA, CA 93116, (805) 685-4641

CP/M is a registered trademark of Digital Research. TRS-80 is a trademark of Tandy Corp.



Fancy Shmancy

Elaborate microprocessor development systems cost a lot of money, and they can close off your engineering options by locking you into just one or two kinds of chips. Sound familiar? Well, read on—we've got a better idea.

Use your desktop computer; anything that will run CP/M* is fine. With our microprocessor cross-assemblers you can produce software for eleven of the most popular chip families, and more are on the way.

In two years on the market, our cross-assemblers have gained a reputation for quality, performance, and reliability. Hundreds of industrial R&D labs and several major semiconductor houses have found these products a fast, cost-effective way to develop their microprocessor software. We invite you to join them.

CP/M CROSS-ASSEMBLERS

Extremely fast absolute assemblers, running under CP/M. Generate object file (Intel hex or Motorola S-record format) and listing from standard assembly language for the target processors listed. Features include comprehensive syntax checking, listing control, nested conditional assembly, and insertion of external source files. All versions listed have been thoroughly field-tested and are available now.

XASM05 ... 6805 XASM09 ... 6809 XASM18 ... 1802 XASM48 ... 8048/41 XASM51 ... 8051 XASM65 ... 6502 XASM68 ... 6800/01 XASM75 ... NEC 7500 XASM78 ... F8/3870 XASMZ8 ... Z8 XASM400 ... COP400

Assemblers \$200.00 each except XASM75 \$500.00

Visa and Mastercard accepted. We ship on 8" single-density and Softcard + 5.25" diskettes. Ask us about other formats. OEM INQUIRIES INVITED.

*Trademark of Digital Research

*Trademark of Microsoft

NEW!

NEW!



804 S. STATE ST., DOVER, DEL. 19901 302-734-0151

YELLOW PAGE LISTINGS

BASIC INTERPRETER level 2, Z80 (BI-280). BI-280 now brings Business Basic II to the Z80, 8080/85 and 8080/88 based microcomputer systems running under CP/M, MP/M, Xenix and TurboDOS.BI-280 immediately provides a whole new range of software potential that lets microcomputers tackle a multitude of minisized business applications, at less than half the cost. Mini software at micro prices. \$600 Single-user; Demo \$100. Control-C Software Inc., 6441 Canyon Court, Portland, OR 97221. (503) 292-6330. Canadian Subsidiary: Johnson-Laird (Ontario) Inc., 130-3040 Constitution Blvd., Mississauga, Ontario, Canada, L4Y 3X7. Attn: Lynne M. Mack. (416) 273-3231.

GRAF TALK. Complete business graphics for CP/M micros. Features: device-independence, printers, plotters, CRTs, b&w or color, bar, pie, line and symbol charts. No programming required-English-language commands. \$450. Redding Group Inc., 609 Main St., Ridgefield, CT 06877. (203) 938-3202.

J-L COMM (Communications

Program-Onyx to Host). Using J-L COMM, the Onyx computer can act as a terminal and can send and receive ASCII files to and from a central computer system or another Onyx. The Onyx can be connected to the other computer either "hard-wired" or using a telephone connection (and a Modem or Acoustic coupler). \$150. Johnson-Laird Inc., 6441 Canyon Ct., Portland, OR 97221. (503) 297-7153.

RM/COBOL is a high level implementation of the ANSI 74 COBOL standard designed for the development and execution of COBOL business applications on microcomputers. \$750-\$1250. Ryan-McFarland Corporation, 3233 Valencia Ave., Aptos, CA 95003. (408) 662-2522.

SELECTOR V is a self-contained, relational data-base management system that can manage the most complex multi-file applications with ease. Using SELECTOR'S 2 report generators, you can produce up to 8 across, self-compacting labels, or even multi-page invoices or sales orders without limit to the number of line items. SELECTOR has virtually unlimited cross-references and sorts several times faster than the competition. \$495. Micro-AP Inc., 7033 Village Pkwy., #206, Dublin, CA 94566. Robert B. Goodman, President. (415) 828-6697.

REFORMATTER™ CONVERSION

SOFTWARE. CP/M to IBM and IBM to CP/M. The CP/M-IBM version of REFORMATTER conversion software reads and writes IBM 3740 formatted diskettes and gives CP/M users the ability to exchange data on floppy diskette with IBM equipment and any equipment accepting the IBM 3740 diskette. Microtech Exports, Inc., 467 Hamilton Avenue, Suite 2A, Palo Alto, CA 94301. (415) 324-9114.

REFORMATTER™ CONVERSION

SOFTWARE. CP/M to DEC and DEC to CP/M. The CP/M-DEC version of REFORMATTER conversion software reads and writes DEC RT-11 single density diskettes and gives CP/M users the ability to exchange files on floppy diskette with DEC equipment. Microtech Exports, Inc., 467 Hamilton Avenue, Suite 2A, Palo Alto, CA 94301. (415) 324-9114.

CP/M MULTI-BUS MICROCOMPUTER.

CP/M based systems utilizing 8085 and 8086 processors, hard disks, ½" tape, ¼" tape, floppies, serial and parallel I/O ports. Business and utility orientation, literature and some training provided. Call for quote and configuration. Comark Corporation, 257 Crescent St., Waltham, MA 02154. (617) 894-7000.

MP/M 8-16 SYSTEMS. Multi-user CP/M compatible S-100 systems. Business, utility and scientific orientation. Call for quote. G&G Engineering, Inc., 1922 Republic Avenue, San Leandro, CA 94577. (415) 895-0798.

YELLOW PAGE LISTING RATES

Yellow page listings are contracted for one year (six issues). The ads must include the name of the product, a brief description of the product, the price (call for price is acceptable), the name and address of the company, with the phone number being optional. The product description must be limited to 100 words or CP/M REVIEW reserves the right to edit to an acceptable size. Ads must be typewritten or printed clearly and must be accompanied by payment in advance. The price is \$20 per year, subject to immediate change. The price at the time of listing is guaranteed for one year. Send your ads to CP/M REVIEW, 2711 76th Avenue S.E., Mercer Island, WA 98040, Attn: Yellow Page Dept.

SOFTWARE VENDORS

CP/M REVIEW is accepting product information for possible inclusion in our upcoming software buyer's guide and/or for feature articles.
Please submit your press release, send samples of your products

send samples of your products for indepth evaluation or request our software buyer's guide survey form.



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 34 MERCER IS, WA.

POSTAGE WILL BE PAID BY ADDRESSEE

CP/M REVIEW

2711 76th Avenue Southeast Mercer Island, WA 98040-9990

QUESTIONNA	CONFIGURATION:		APPLICATIONS:				
Do you own a computer? Brand	□ 5" Floppy	☐ Tape ☐ 8" Floppy ☐ Printer	☐ Accts. Payable ☐ Accts. Receivable ☐ Estimating	☐ Payroll ☐ Word Processing ☐ Control			
USAGE:	☐ Communications	□ Color	☐ General Ledger	☐ Games			
☐ Business ☐ Home	GRAPHICS:		☐ Inventory	☐ Education			
☐ Professional	☐ High Res.	☐ Low Res.	☐ Other				
SUBSCR ORDE FOR	Six issues for \$ Washington r Please write f international	residents.	PAYN	X. MENT WITH ORDER PLEASE.			
CP/I	Address	Name(Please print) Address					
REVIÉV	¥ 7						
2711 76th Avenue So	State		Zip				

Mercer Island, Washington 98040 Telephone: 206 232-6719 PLEASE ENCLOSE CHECK OR INCLUDE CREDIT CARD INFORMATION. MasterCard or VISA No.: _____ Expire Date: _____ Signature:

People can be trained to know how computers work. But we've trained QDP to know how people work.



SYSTEM UTILITIES

- COPY PROGRAM

RECONFIGURE SYSTEM

SYSTEM STATUS REPORT MAP OF MEMORY USE INITIALIZE DISKETTE

BUSINESS APPLICATIONS

- ACCOUNTS RECEIVABLE - ACCOUNTS PAYABLE

- PAYROLL - INVENTORY

6L - GENERAL LEDGES

HORD PROCESSING

- WORD PROCESSOR - SPELLING DICTIONARY MAILING PROGRAM

FINANCIAL MENU

FM - FINANCIAL MODELING

UTILITIES & MENUES

HELP PROGRAM

SET DATE & TIME BACKUP HARD DISK RESTORE HARD DISK COMMUNICATIONS

MENU # 2

Enter Selection :



ODP 100 2.4 MB (Formatted) FLOPPY

Introducing QDP's "user-friendly" computer system.

And other new QDP simplicities that make QDP easiest to sell, install, and use.

HARD DISK

Simply pressing one key will start the user off right with QDP. Up comes a userfriendly menu (now standard on all ODP computers) and even untrained operators have access to the full power of QDP to do whatever job they select. Users never have to see ODP's operating system.

If help is needed to understand a ODP program or system function, QDP has an on-line "HELP" system. Ask for help, and ODP delivers definitions, examples, documentation and explanations. New items? Add them to ODP's user-library function.

Our software warns users of many impending problems before they happen. A built-in SYSTEM STATUS program monitors performance of the electronics and drive systems. This way QDP helps

assure a profit-generating reliable system that has all these features as standard equipment:

- One-year, on-site warranty service performed by the Installation & Service Engineering Division of General Electric Company - with more than 50 service locations nationwide.
- Proprietary "cache memory" system which makes QDP one of the fastest microcomputers available today.
- Unique system configuration program that allows users to easily modify operating system parameters via a menu-driven program.
- Best user-friendly implementation of a CP/M compatible operating system on the market - competitors, after two years, are finally trying to catch up.

- Z80 (4-6 MHZ), IEEE 696 (S-100) CP/M, MPIM compatible operating system.
- CBASIC language.
- Excellent user documentation and reference manuals.

And these options:

- Multi-user timesharing systems.
- Hard Disk sub systems.
- Memory disk to allow from 64K to 2MB of silicon memory to be accessed as a disk drive for extremely fast disk operations.
- Software Languages: COBOL, FORTRAN, C, PASCAL, and Microsoft BASIC.
- 16 bit version available this fall. Write or call for complete information.

CBASIC, CP/M and MP/M are registered trademarks of Digital Research Corp. Z80 is a registered trademark of Zilog Corp.



uasar Data Products

10330 Brecksville Road, Cleveland, Ohio 44141 216/526-0838 Telex 241596

Not everyone demands this kind of accuracy in a color display monitor.

But those that do should demand the 690SR from Tektronix. Its unprecedented features offer today's best window on every bit of picture detail.

The 690SR configures easily in a graphic computing system. And it builds confidence in visual results: accurate, large-screen display is at arm's length at last.

Look at the 690SR. And see it all. Dynamic range. Gray scale. Its delta gun, dot shadowmask tube technology and Tek electronics cir-

cuitry provide best overall picture quality.

Convergence accuracy surpasses 0.5 mm, without significant loss of resolution or accuracy in picture corners. Dot triad spacing of 0.31 mm invites up-close examination. Precise geometry, superior linearity and color stability assure reliable and repeatable images, time after time.

Plug-in interface modules give more versatility. And you can be sure that upcoming modules from Tektronix will keep this a long-term

investment that stays in your picture. **See for yourself.** The 690SR is UL listed and backed by full Tektronix resources worldwide. For a demonstration or more information, includ-ing OEM availability, contact our nearest Field Office (listed in major city directories) or call toll free, 800-547-1512. (In Oregon, 800-452-1877.)

Tektronix, Inc., PO. Box 1700. Beaverton, OR 97075. In Europe: Tektronix Europe B.V.. Postbox 827, 1180 AV Amstelveen. The Netherlands

